

Tuesday February 7, 2012 15:27:53

Source URL: <http://www.tricare.mil/reredesign>

Source Title: TRICARE Home

Accessibility Review (Guidelines: **Section 508)
Report on known problems (0 found):**

 **Congratulations! No known problems.**

Report on likely problems (0 found):

 **Congratulations! No likely problems.**

Report on potential problems (0 found):

 **Congratulations! No potential problems.**

Report on HTML validation (29 found):

Note: Results are provided by <http://validator.w3.org/>

⚠ Line 19, Column 13: character "<" is the first character of a delimiter but occurred as data

```
if(selPlan < 0 || (document.getElementsByName('plan')[0].options[selPlan].valu...
```

This message may appear in several cases:

You tried to include the "<" character in your page: you should escape it as "<";
You used an unescaped ampersand "&": this may be valid in some contexts,
but it is recommended to use "&", which is always safe.
Another possibility is that you forgot to close quotes in a previous tag.

⚠ Line 30, Column 83: character "&" is the first character of a delimiter but occurred as data

```
....options[selIndexStatus].value != "" ) && (document.getElementsByName('country'...
```

This message may appear in several cases:

You tried to include the "<" character in your page: you should escape it as "<";
You used an unescaped ampersand "&": this may be valid in some contexts,
but it is recommended to use "&", which is always safe.
Another possibility is that you forgot to close quotes in a previous tag.

⚠ Line 30, Column 84: character "&" is the first character of a delimiter but occurred as data

```
...options[selIndexStatus].value != "" ) && (document.getElementsByName('country')...
```

This message may appear in several cases:

You tried to include the "<" character in your page: you should escape it as "<";
You used an unescaped ampersand "&": this may be valid in some contexts,
but it is recommended to use "&", which is always safe.
Another possibility is that you forgot to close quotes in a previous tag.

✖ Line 86, Column 43: value of attribute "method" cannot be "GET"; must be one of "get", "post"

```
...m name="ProfileFilterForm" method="GET" action="http://www.tricare.mil/mybenef...
```

The value of the attribute is defined to be one of a list of possible

values but in the document it contained something that is not allowed for that type of attribute. For instance, the `“selected”` attribute must be either minimized as `“selected”` or spelled out in full as `“selected="selected"”`; a value like `“selected="true"”` is not allowed.

✖ **Line 87, Column 47:** end tag for "input" omitted, but OMITTAG NO was specified

```
<input type="hidden" value="/home" name="uri">
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with `/>` instead of `>`.

◆ **Line 87, Column 1:** start tag was here

```
<input type="hidden" value="/home" name="uri">
```

✖ **Line 88, Column 15:** there is no attribute "height"

```
<table height="100" cellspacing="0" cellpadding="0" class="profileTable">
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the element-undefined error message for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the `<embed>` element to incorporate flash media in a Web page, see the FAQ item on valid flash.

✖ **Line 92, Column 22:** value of attribute "align" cannot be "absmiddle"; must be one of "top", "middle", "bottom", "left", "right"

```

```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with `>/>` instead of `>`.

📍 Line 92, Column 1: start tag was here

```
Who are you? (Required)</span></a></label><a name="profile">
```

The Validator found an end tag for the above element, but that element is not currently open. This is often caused by a leftover end tag from an element that was removed during editing, or by an implicitly closed element (if you have an error related to an element being used where it is not allowed, this is almost certainly the case). In the latter case this error will disappear as soon as you fix the original problem.

If this error occurred in a script section of your document, you should probably read this FAQ entry.

✘ Line 94, Column 114: duplicate specification of attribute "id"

```
...getElementsByName('zipCode')[0]);"id="status"><option value="">Who are you?</...
```

You have specified an attribute more than once. Example: Using the "height" attribute twice on the same "img" tag.



Line 94, Column 115: ID "status" already defined

```
...getElementsByName('zipCode')[0]);"id="status"><option value="">Who are you?</o...
```

An "id" is a unique identifier. Each time this attribute is used in a document it must have a different value. If you are using this attribute as a hook for style sheets it may be more appropriate to use classes (which group elements) than id (which are used to identify exactly one element).

Line 94, Column 27: ID "status" first defined here

```
<select name="status" id="status" onchange="javascript:CheckLength(document.get...
```

Line 108, Column 22: value of attribute "align" cannot be "absmiddle"; must be one of "top", "middle", "bottom", "left", "right"

```

```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with `</>` instead of `>`.

Line 108, Column 1: start tag was here

```

```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with `</>` instead of `>`.

Line 356, Column 2: start tag was here

```
<input type="text" name="zipCode" maxlength="5" value=" Zip Code" onkeyup="jav...
```

✖ **Line 357, Column 44:** end tag for "input" omitted, but OMITTAG NO was specified

```
<input type="hidden" name="step" value="1">
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

📌 **Line 357, Column 1:** start tag was here

```
<input type="hidden" name="step" value="1">
```

✖ **Line 361, Column 22:** value of attribute "align" cannot be "absmiddle"; must be one of "top", "middle", "bottom", "left", "right"

```

```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

📌 **Line 361, Column 1:** start tag was here

```

```

The value of the attribute is defined to be one of a list of possible values but in the document it contained something that is not allowed for that type of attribute. For instance, the "selected" attribute must be either minimized as "selected" or spelled out in full as "selected="selected""; a value like

“selected="true"” is not allowed.

✖ Line 382, Column 6: document type does not allow element "ul" here; assuming missing "li" start-tag

```
<ul><li><p><a target="_blank" href="http://www.tricare.mil/doctor">The Dr. Is...
```

⚠ Line 382, Column 508: cannot generate system identifier for general entity "ct"

```
...es/page_content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ct...
```

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). The most common cause of this error is unencoded ampersands in URLs as described by the WDG in "Ampersands in URLs".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (even inside URLs!). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and æ are different characters.

If this error appears in some markup generated by PHP's session handling code, this article has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

✖ Line 382, Column 508: general entity "ct" not defined and no default entity

```
...es/page_content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ct...
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

⚠ Line 382, Column 510: reference not terminated by REFC delimiter

.../page_content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 382, Column 510:** [reference to external entity in attribute value](#)

.../page_content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 382, Column 510:** [reference to entity "ct" for which no system identifier could be generated](#)

.../page_content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 382, Column 507:** [entity was defined here](#)

...ces/page_content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.c...

 **Line 382, Column 516:** [cannot generate system identifier for general entity "_afrLoop"](#)

...content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). The most common cause of this error is unencoded ampersands in URLs as described by the WDG in "Ampersands in URLs".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (even inside URLs!). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive;

&Aelig; and æ are different characters.

If this error appears in some markup generated by PHP's session handling code, this article has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 382, Column 516:** general entity "_afrLoop" not defined and no default entity

...content.jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 382, Column 524:** reference not terminated by REFC delimiter

...jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state=19xhh14...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 382, Column 524:** reference to external entity in attribute value

...jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state=19xhh14...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 382, Column 524:** reference to entity "_afrLoop" for which no system identifier could be generated

...jspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state=19xhh14...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

◆ **Line 382, Column 515:** entity was defined here

..._content.aspx?_afrWindowMode=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-stat...

⚠ **Line 382, Column 541:** cannot generate system identifier for general entity "_adf.ctrl-state"

...de=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state=19xhh14l8d_108" target="...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). The most common cause of this error is unencoded ampersands in URLs as described by the WDG in "Ampersands in URLs".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (even inside URLs!). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and æ are different characters.

If this error appears in some markup generated by PHP's session handling code, this article has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

✖ **Line 382, Column 541:** general entity "_adf.ctrl-state" not defined and no default entity

...de=0&ct=BRKG&_afrLoop=418370813617000&_adf.ctrl-state=19xhh14l8d_108" target="...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

⚠ **Line 382, Column 556:** reference not terminated by REFC delimiter

...frLoop=418370813617000&_adf.ctrl-state=19xhh14l8d_108" target="_blank">Active ...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 382, Column 556:** reference to external entity in attribute value

```
...frLoop=418370813617000&_adf.ctrl-state=19xhh14l8d_108" target="_blank">Active ...
```

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 382, Column 556:** reference to entity "_adf.ctrl-state" for which no system identifier could be generated

```
...frLoop=418370813617000&_adf.ctrl-state=19xhh14l8d_108" target="_blank">Active ...
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 382, Column 540:** entity was defined here

```
...ode=0&ct=BRKG&_afLoop=418370813617000&_adf.ctrl-state=19xhh14l8d_108" target=...
```

 **Line 384, Column 9:** end tag for "li" omitted, but OMITTAG NO was specified

```
</div>
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

 **Line 382, Column 3:** start tag was here

```
<ul><li><p><a target="_blank" href="http://www.tricare.mil/doctor">The Dr. Is...
```

 **Line 384, Column 9:** end tag for "ul" omitted, but OMITTAG NO was specified

```
</div>
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".



Line 381, Column 5: start tag was here

```
<ul class="news-items">
```

✘ Line 399, Column 76: end tag for "img" omitted, but OMITTAG NO was specified

```

```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

◆ Line 399, Column 4: start tag was here

```

```

✘ Line 400, Column 12: end tag for "br" omitted, but OMITTAG NO was specified

```
<br>
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

◆ Line 400, Column 8: start tag was here

```
<br>
```

✘ Line 402, Column 8: end tag for "br" omitted, but OMITTAG NO was specified

```
<br>
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

◆ Line 402, Column 4: start tag was here

```
<br>
```

✘ Line 403, Column 291: end tag for "br" omitted, but OMITTAG NO was specified

```
...//health.mil" title="Health.mil" target="_blank">Military Health System</a><br>
```

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

◆ Line 403, Column 287: start tag was here

```
...//health.mil" title="Health.mil" target="_blank">Military Health System</a><br>
```



Line 405, Column 8: end tag for "br" omitted, but OMITTAG NO was specified

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

 **Line 405, Column 4:** start tag was here

Report on CSS validation (99 found):

Note: Results are provided by <http://jigsaw.w3.org/css-validator>

URI: <http://www.tricare.mil/css/homepage.css>

Line 59: html

Property -webkit-text-size-adjust doesn't exist : 100%

Line 59: html

Property -ms-text-size-adjust doesn't exist : 100%

Line 72: audio, canvas, video

Parse Error ;*display:inline;

Line 72: *

Parse Error *zoom:1;

Line 72: *

Parse Error ;}

Line 77: img

Property -ms-interpolation-mode doesn't exist : bicubic

Line 81: button, input, select, textarea

Parse Error ;*vertical-align:middle;

Line 81: button, input, select, textarea

Parse Error ;}

Line 82: button, input

Parse Error ;*overflow:visible;

Line 82: button, input

Parse Error ;}

Line 83:

Unknown pseudo-element or pseudo-class ::-moz-focus-inner [-moz-focus-inner]

Line 83:

Unknown pseudo-element or pseudo-class ::-moz-focus-inner [-moz-focus-inner]

Line 87: button, input[type="button"], input[type="reset"], input[type="submit"]

Property -webkit-appearance doesn't exist : button

Line 88: input[type="search"]

Property -webkit-appearance doesn't exist : textfield

Line 88: input[type="search"]

Property -webkit-box-sizing doesn't exist : content-box

Line 88: input[type="search"]

Property -moz-box-sizing doesn't exist : content-box

Line 89:

Unknown pseudo-element or pseudo-class ::-webkit-search-decoration [-webkit-search-decoration]

Line 91: .clearfix, .container, .row

Property zoom doesn't exist : 1

Line 97: .clearfix:before, .container:before, .row:before, .clearfix:after, .container:after, .row:after

Property zoom doesn't exist : 1

Line 152: code, pre

Property -webkit-border-radius doesn't exist : 3px

Line 152: code, pre

Property -moz-border-radius doesn't exist : 3px

Line 154: pre

Value Error : border Too many values or values are not recognized : 1px solid rgba(0,0,0,0.15)

Line 154: pre

Property -webkit-border-radius doesn't exist : 3px

Line 154: pre

Property -moz-border-radius doesn't exist : 3px

Line 154: pre

Property word-wrap doesn't exist : break-word

Line 159: input, textarea, select, .uneditable-input

Property -webkit-border-radius doesn't exist : 3px

Line 159: input, textarea, select, .uneditable-input

Property -moz-border-radius doesn't exist : 3px

Line 160: input, textarea

Property -webkit-transition doesn't exist : border linear 0.2s,box-shadow linear 0.2s

Line 160: input, textarea

Property -moz-transition doesn't exist : border linear 0.2s,box-shadow linear 0.2s

Line 160: input, textarea

Property -ms-transition doesn't exist : border linear 0.2s,box-shadow linear 0.2s

Line 160: input, textarea

Property -o-transition doesn't exist : border linear 0.2s,box-shadow linear 0.2s

Line 160: input, textarea

Property transition doesn't exist : border linear 0.2s,box-shadow linear 0.2s

Line 160: input, textarea

Property -webkit-box-shadow doesn't exist : inset 0 1px 3px rgba(0,0,0,0.1)

Line 160: input, textarea

Property -moz-box-shadow doesn't exist : inset 0 1px 3px rgba(0,0,0,0.1)

Line 165: body

Value Error : background -moz-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%) is not a background-color value : -moz-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%)

Line 165: body

Value Error : background -webkit-gradient(linear,left top,left bottom,color-stop(13%,#ffffff),color-stop(39%,#eeeeee),color-stop(65%,#ffffff)) is not a background-color value : -webkit-gradient(linear,left top,left bottom,color-stop(13%,#ffffff),color-stop(39%,#eeeeee),color-stop(65%,#ffffff))

Line 165: body

Value Error : background -webkit-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%) is not a background-color value : -webkit-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%)

Line 165: body

Value Error : background -o-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%) is not a background-color value : -o-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%)

Line 165: body

Value Error : background -ms-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%) is not a background-color value : -ms-linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%)

Line 165: body

Value Error : background linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%) is not a background-color

value : linear-gradient(top,#ffffff 13%,#eeeeee 39%,#ffffff 65%)

Line 165: body

attempt to find a semi-colon before the property name. add it

Line 165: body

Property progid doesn't exist : DXImageTransform

Line 165: body

Parse Error DXImageTransform.Microsoft.gradient(startColorstr='#ffffff', endColorstr='#ffffff',GradientType=0);

Line 165: body

Parse Error ;}

Line 169: .btn

Property -webkit-border-radius doesn't exist : 6px

Line 169: .btn

Property -moz-border-radius doesn't exist : 6px

Line 169: .btn

Value Error : background -moz-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%) is not a background-color value : -moz-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%)

Line 169: .btn

Value Error : background -webkit-gradient(linear,left top,left bottom,color-stop(0%,#809ccc),color-stop(50%,#274677),color-stop(51%,#121e60),color-stop(100%,#010d44)) is not a background-color value : -webkit-gradient(linear,left top,left bottom,color-stop(0%,#809ccc),color-stop(50%,#274677),color-stop(51%,#121e60),color-stop(100%,#010d44))

Line 169: .btn

Value Error : background -webkit-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%) is not a background-color value : -webkit-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%)

Line 169: .btn

Value Error : background -o-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%) is not a background-color value : -o-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%)

Line 169: .btn

Value Error : background -ms-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%) is not a background-color value : -ms-linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%)

Line 169: .btn

Value Error : background linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%) is not a background-color value : linear-gradient(top,#809ccc 0%,#274677 50%,#121e60 51%,#010d44 100%)

Line 169: .btn

attempt to find a semi-colon before the property name. add it

Line 169: .btn

Property progid doesn't exist : DXImageTransform

Line 169: .btn

Parse Error DXImageTransform.Microsoft.gradient(startColorstr='#809ccc',endColorstr='#010d44',GradientType=0);

Line 169:

Parse Error [:0 -1px 0 rgba(0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0.25];-webkit-box-shadow:inset 0 1px 0 rgba(255]

Line 169:

Parse Error [255]

Line 169:

Parse Error [255]

Line 169:

Parse Error [0.2]]

Line 169:

Parse Error [0 1px 2px rgba(0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0.05];-moz-box-shadow:inset 0 1px 0 rgba(255]

Line 169:

Parse Error [255]

Line 169:

Parse Error [255]

Line 169:

Parse Error [0.2)]

Line 169:

Parse Error [0 1px 2px rgba(0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0.05];box-shadow:inset 0 1px 0 rgba(255]

Line 169:

Parse Error [255]

Line 169:

Parse Error [255]

Line 169:

Parse Error [0.2)]

Line 169:

Parse Error [0 1px 2px rgba(0]

Line 169:

Parse Error [0]

Line 169:

Parse Error [0]

Line 170:

Parse Error [0.05];-webkit-transition:0.1s linear all;-moz-transition:0.1s linear all;-ms-transition:0.1s linear all;-o-transition:0.1s linear all;transition:0.1s linear all;border:1px solid #CCC;border-color:#466590 #466590

#333;cursor:pointer;display:inline-block;text-decoration:none;}#header]

Line 176: #footerlist li

Property zoom doesn't exist : 1

Line 181: #zip

Parse Error {*margin-left:40px;

Line 182:

Parse Error [:70px;text-align:left;margin-top:5px;vertical-align:top;font-size:1.2em;}#status]

Line 187: .questions .box

Property -moz-border-radius doesn't exist : 6px

Line 187: .questions .box

Property -webkit-border-radius doesn't exist : 6px

Line 187: .questions .box

Property -moz-box-shadow doesn't exist : 0 1px 5px rgba(0,0,0,0.2)

Line 187: .questions .box

Property -webkit-box-shadow doesn't exist : 0 1px 5px rgba(0,0,0,0.2)

Line 187: .questions .box

0 is not a box-shadow value : 0 1px 5px rgba(0,0,0,0.2)

Line 200: .plan-finder

Value Error : background -moz-linear-gradient(top,#d0e0f9 0%,#86abe1 100%) is not a background-color value : url(/img/plan-finder-bg.png) right bottom no-repeat,-moz-linear-gradient(top,#d0e0f9 0%,#86abe1 100%)

Line 200: .plan-finder

Value Error : background -webkit-gradient(linear,left top,left bottom,color-stop(0%,#d0e0f9),color-stop(100%,#86abe1)) is not a background-color value : url(/img/plan-finder-bg.png) right bottom no-repeat,-webkit-gradient(linear,left top,left bottom,color-stop(0%,#d0e0f9),color-stop(100%,#86abe1))

Line 200: .plan-finder

Value Error : background -webkit-linear-gradient(top,#d0e0f9 0%,#86abe1 100%) is not a background-color value : url(/img/plan-finder-bg.png) right bottom no-repeat,-webkit-linear-gradient(top,#d0e0f9 0%,#86abe1 100%)

Line 200: .plan-finder

Value Error : background -o-linear-gradient(top,#d0e0f9 0%,#86abe1 100%) is not a background-color value : url(/img/plan-finder-bg.png) right bottom no-repeat,-o-linear-gradient(top,#d0e0f9 0%,#86abe1 100%)

Line 200: .plan-finder

Value Error : background -ms-linear-gradient(top,#d0e0f9 0%,#86abe1 100%) is not a background-color value :
url(/img/plan-finder-bg.png) right bottom no-repeat,-ms-linear-gradient(top,#d0e0f9 0%,#86abe1 100%)

Line 200: .plan-finder

Value Error : background linear-gradient(top,#d0e0f9 0%,#86abe1 100%) is not a background-color value :
url(/img/plan-finder-bg.png) right bottom no-repeat,linear-gradient(top,#d0e0f9 0%,#86abe1 100%)

Line 200: .plan-finder

attempt to find a semi-colon before the property name. add it

Line 200: .plan-finder

Property progid doesn't exist : DXImageTransform

Line 200: .plan-finder

Parse Error DXImageTransform.Microsoft.gradient(startColorstr='#d0e0f9',
endColorstr='#86abe1',GradientType=0);

Line 200: .plan-finder

Parse Error ;}

Line 206: #footerlist li

Property zoom doesn't exist : 1