

MEASLES

Includes confirmed and possible cases.

Background

This case definition was developed by the Armed Forces Health Surveillance Division (AFHSD) for the purpose of epidemiological surveillance of measles in military-associated populations.¹

Clinical Description

Measles, or rubeola, is a highly communicable viral disease that spreads through respiratory droplets in the air or by contact with contaminated surfaces. The clinical course begins with mild, nonspecific symptoms (fever, cough, runny nose, conjunctivitis, sore throat) lasting 2-3 days. White spots (Koplik spots) may appear on the buccal mucosa inside the mouth. This stage is followed by the development of a maculopapular rash and a high fever. Complications occur in about one-third of cases and can include ear infection, inflammation of the respiratory tract, encephalitis, and thrombocytopenia. The virus is particularly dangerous for unvaccinated pregnant women as it may increase the risk of pregnancy loss and preterm labor. The vaccine is 93% effective after one dose and 97% effective after two doses.² Receipt of the measles-mumps-rubella (MMR) vaccine is preventative and is required for entry into military service.³

Case Definition and Incidence Rules (February 2015 - present)

For surveillance purposes, a *confirmed* case of measles is defined as:

- One record of a reportable medical event (RME) *with* laboratory or epidemiological confirmation.

For surveillance purposes, a *possible* case of measles is defined as:

- One record of a RME of measles *without* laboratory or epidemiological confirmation; or
- *One hospitalization or outpatient medical encounter* with a case defining diagnosis of a *possible* case of measles (see ICD9 and ICD10 code lists below) in the *first* diagnostic position; AND *at least one* “measles-associated symptom” (see ICD9 and ICD10 code lists below) in *any* other diagnostic position.

Incidence rules:

For individuals who meet the case definition:

(continued on next page)

¹ Armed Forces Health Surveillance Center. Measles and Mumps Among Service Members and Other Beneficiaries of the US Military Health System, January 2007-December 2014. *MSMR*. 2015; 22(2): 14-18.

² Measles (Rubeola). Questions about Measles, Centers for Disease Control and Prevention (CDC), Sept. 10, 2025. https://www.cdc.gov/measles/about/questions.html?CDC_AAref_Val=https://www.cdc.gov/measles/about/faqs.html. Accessed June 2026.

³ Armed Forces Health Surveillance Center. Update: Measles, Mumps, Rubella and Varicella Among Service Members and Other Beneficiaries of the Military Health System, 2019-2024. *MSMR*. 2025; 32(10): 3-8.



Case Definition and Incidence Rules *(continued)*

- The incidence date is considered the date of onset documented in a RME report, or the first hospitalization or outpatient medical encounter that includes a case defining diagnosis of measles.
- An individual is considered an incident case *once per lifetime*.

Exclusions *(applies to possible cases of measles only)*:

- Cases with *one* medical encounter with evidence of measles immunization *within 7 days* before or after the case defining encounter; indicated by the following vaccine administered (CVX) codes: 03 (measles, mumps, rubella [MMR]), 04 (measles and rubella [M/R]), 05 (measles), 94 (measles, mumps, rubella, varicella [MMRV]).
- Individuals with evidence of a positive test for serologic immunity to measles *within 7 days* before or after the case defining encounter.
- Cases with *one* Current Procedure Code (CPT) or *one* ICD10/9 procedure code indicating measles vaccination or antibody testing recorded during the *same* medical encounter; as indicated by the following codes.
 - ICD10: Z23 (encounter for immunization) plus a procedure code for type of immunization.
 - ICD9: Need for prophylactic vaccination and inoculation against... V04.2 (measles alone), V04.3 (rubella alone), V04.6 (mumps alone), V04.8 (other viral diseases), V04.89 (other viral diseases), V05.8 (other specified disease), V05.9 (unspecified single disease), V06.4 (MMR), V06.8 (other combinations of diseases), V06.9 (unspecified combined vaccine), V73.2 (screening exam for measles), 99.45 (vaccination against measles), 98.48 (administration of MMR vaccine), 99.46 (vaccination against mumps).
 - CPT: 86765 (measles (rubeola) antibodies, IgG), 86735 (mumps antibody panel), 86762 (rubella antibody[IgG] test), 87798 (mumps virus RNA PCR), 90704 (mumps virus vaccine, live, SQ), 90705 (measles virus vaccine, live, SQ), 90707 (MMR vaccine), 90708 (measles and rubella vaccine, live, SQ), 90709 (rubella and mumps vaccine, SQ), 90710 (MMRV vaccine, live, SQ), 96372 (therapeutic, prophylactic, or diagnostic injections, SQ or IM), 90772 (therapeutic, prophylactic, or diagnostic injections, SQ or IM).

Codes

The following ICD9 and ICD10 codes are included in the case definition:

Condition	ICD-10-CM Codes	ICD-9-CM Codes
Measles	B05 (measles)	055 (measles)
		(continued on next page)



<i>(Possible case)</i>	B05.0 (measles complicated by encephalitis)	055.0 (post measles encephalitis)
	B05.1 (measles complicated by meningitis)	055.79 (measles with other specified complication; other)
	B05.2 (measles complicated by pneumonia)	055.1 (post measles pneumonia)
	B05.4 (measles with intestinal complications)	055.79 (above)
	B05.8 (measles with other complications)	055.7 (measles with other specified complication)
	- B05.89 (other measles complications)	055.79 (above) 055.8 (measles with unspecified complication)
	B05.9 (measles without complications)	055.9 (measles without mention of complication)

Symptoms	ICD-10-CM Codes	ICD-9-CM Codes
Measles-associated symptoms	B09 (unspecified viral infection characterized by skin and mucous membrane lesions)	057.9 (viral exanthema, unspecified)
	B30.9 (viral conjunctivitis, unspecified)	077.9 (unspecified diseases of conjunctiva due to viruses and chlamydia) - 077.99 (unspecified diseases of conjunctiva due to viruses)
	H10.0 (mucopurulent conjunctivitis)	--
	H10.01 (acute follicular conjunctivitis...)	372.0 (acute conjunctivitis)
	- H10.011 (right eye)	372.02 (acute follicular conjunctivitis)
	- H10.012 (left eye)	
	- H10.013 (bilateral)	
	- H10.019 (unspecified eye)	
	H10.02 (other mucopurulent conjunctivitis...)	372.03 (other mucopurulent conjunctivitis)
	- H10.021 (right eye)	
	- H10.022 (left eye)	
	- H10.023 (bilateral)	
	- H10.029 (unspecified eye)	
	H10.1 (acute atopic conjunctivitis...)	372.05 (acute atopic conjunctivitis)
	- H10.10 (unspecified eye)	<i>(continued on next page)</i>



	- H10.11 (right eye)	
	- H10.12 (left eye)	
	- H10.13 (bilateral)	
	H10.2[2,3] (other acute conjunctivitis)	--
	H10.22 (pseudomembranous conjunctivitis...)	372.04 (pseudomembranous conjunctivitis)
	- H10.221 (right eye)	
	- H10.222 (left eye)	
	- H10.223 (bilateral)	
	- H10.229 (unspecified eye)	
	H10.23 (serous conjunctivitis, except viral...)	372.01 (serous conjunctivitis, except viral)
	- H10.231 (right eye)	
	- H10.232 (left eye)	
	- H10.233 (bilateral)	
	- H10.239 (unspecified eye)	
	H10.3 (unspecified acute conjunctivitis...)	372.00 (acute conjunctivitis, unspecified)
	- H10.30 (unspecified eye)	
	- H10.31 (right eye)	
	- H10.32 (left eye)	
	- H10.33 (bilateral)	
	H10.8 (other conjunctivitis)	372.3 (other and unspecified conjunctivitis)
	- H10.89 (other conjunctivitis)	- 372.30 (conjunctivitis, unspecified)
	H10.9 (unspecified conjunctivitis)	- 372.33 (conjunctivitis in mucocutaneous disease) - 372.39 (other conjunctivitis)
	<i>J00 (acute nasopharyngitis; common cold)</i>	<i>460 (acute nasopharyngitis; common cold)</i>
	<i>J01 (acute sinusitis); does not include recurrent</i>	<i>461 (acute sinusitis)</i>
	J01.0 (acute maxillary sinusitis)	461.0 (acute maxillary sinusitis)
	- J01.00 (acute maxillary sinusitis unspecified)	
		(continued on next page)



	J01.1 (acute frontal sinusitis)	461.1 (acute frontal sinusitis)
	- J01.10 (acute frontal sinusitis unspecified)	
	J01.2 (acute ethmoidal sinusitis)	461.2 (acute ethmoidal sinusitis)
	- J01.20 (acute ethmoidal sinusitis unspecified)	
	J01.3 (acute sphenoidal sinusitis)	461.3 (acute sphenoidal sinusitis)
	- J01.30 (acute sphenoidal sinusitis unspecified)	
	J01.4 (acute pansinusitis)	461.8 (other acute sinusitis)
	- J01.40 (acute pansinusitis unspecified)	
	J01.8 (other acute sinusitis)	
	- J01.80 (other acute sinusitis)	
	J01.9 (acute sinusitis, unspecified)	461.9 (acute sinusitis, unspecified)
	- J01.90 (acute sinusitis, unspecified)	
	<i>J02.9 (acute pharyngitis, unspecified)</i>	<i>462 (acute pharyngitis)</i>
	<i>J03.9 (acute tonsillitis, unspecified)</i>	<i>463 (acute tonsillitis)</i>
	- J03.90 (acute tonsillitis, unspecified)	
	<i>J04 (acute laryngitis and tracheitis)</i>	<i>464 (acute laryngitis and tracheitis)</i>
	J04.0 (acute laryngitis)	464.0 (acute laryngitis)
		- 464.00 (acute laryngitis, without mention of obstruction)
	J04.1 (acute tracheitis)	464.1 (acute tracheitis)
	- J04.10 (acute tracheitis without obstruction)	- 464.10 (acute tracheitis, without mention of obstruction)
	- J04.11 (acute tracheitis with obstruction)	- 464.11 (acute tracheitis, with obstruction)
	J04.3 (supraglottitis, unspecified)	464.5 (supraglottitis, unspecified)
	- J04.30 (supraglottitis, unspecified, without obstruction)	- 464.50 (supraglottitis, without mention of obstruction)
	- J04.31 (supraglottitis, unspecified, with obstruction)	- 464.51 (supraglottitis, with obstruction)
	<i>J05 (acute obstructive laryngitis [croup] with epiglottitis)</i>	--
		<i>(continued on next page)</i>



J05.0 (acute obstructive laryngitis; croup)	- 464.01 (acute laryngitis, with obstruction) 464.2 (acute laryngotracheitis) - 464.21 (acute laryngotracheitis, with obstruction) - 464.4 (croup)
J05.1 (acute epiglottitis)	464.3 (acute epiglottitis)
- J05.10 (acute epiglottitis without obstruction)	- 464.30 (acute epiglottitis, without mention of obstruction)
- J05.11 (acute epiglottitis with obstruction)	- 464.31 (acute epiglottitis, with obstruction)
<i>J06 (acute upper respiratory infections of multiple and unspecified site)</i>	<i>465 (acute upper respiratory infections of multiple and unspecified sites)</i>
J06.0 (acute laryngopharyngitis)	465.0 (acute laryngopharyngitis)
J06.9 (acute upper respiratory infection, unspecified)	465.8 (acute upper respiratory infection of other multiple sites) 465.9 (unspecified site)
J12.89 (other viral pneumonia)	480.8 (pneumonia due to other virus not elsewhere classified)
J12.9 (viral pneumonia, unspecified)	480.9 (viral pneumonia, unspecified)
J16.8 (pneumonia due to other specified infectious organisms)	483.8 (pneumonia due to other specified organism)
J18.0 (bronchopneumonia, unspecified organism)	485 (bronchopneumonia, organism unspecified)
J18.9 (pneumonia, unspecified organism)	486 (pneumonia, organism unspecified)
--	466 (acute bronchitis and bronchiolitis)
<i>J20 (acute bronchitis)</i>	466.0 (acute bronchitis)
J20.9 (acute bronchitis, unspecified) <i>Consider J20.0 –J20.8; acute bronchitis due to specific organism.</i>	
<i>J21 (acute bronchiolitis)</i>	466.1 (acute bronchiolitis)
J21.0 (acute bronchiolitis due to respiratory syncytial virus)	- 466.11 (acute bronchiolitis due to respiratory syncytial virus, RSV)
J21.8 (acute bronchiolitis due to other specified organisms)	- 466.19 (acute bronchiolitis due to other infectious organisms)
J21.9 (acute bronchiolitis, unspecified)	
P39.1 (neonatal conjunctivitis and dacrocystitis)	771.6 (neonatal conjunctivitis and dacrocystitis) (continued on next page)



	P81.8 (other specified disturbances of temperature regulation of newborn)	778.4 (other disturbances of temperature regulation of newborn)
	P81.9 (disturbance of temperature regulation of newborn, unspecified)	
	R21 (<i>rash and nonspecific skin eruption</i>)	782.1 (<i>rash and other nonspecific skin eruption</i>)
	R50 (<i>fever of other and unknown origin</i>)	780.6 (<i>fever and other physiologic disturbances of temperature regulation</i>)
	R50.8 (other specified fever)	--
	- R50.81 (fever presenting with conditions classified elsewhere)	- 780.61 (fever presenting with conditions classified elsewhere)
	R50.9 (fever, unspecified)	- 780.60 (fever, unspecified)
	R53 (<i>malaise and fatigue</i>)	780.7 (<i>malaise and fatigue</i>)
	R53.1 (weakness)	- 780.79 (other malaise and fatigue)
	R53.8 (other malaise and fatigue)	
	- R53.81 (other malaise)	
	- R53.83 (other fatigue)	

Development and Revisions

- The original case definition was developed in February 2015 by the *Medical Surveillance Monthly Report (MSMR)* staff for use in a *MSMR* article on measles and mumps.¹ The case definition was developed based on reviews of the ICD9 and ICD10 codes, the scientific literature, and previous AFHSD analyses.

Case Definition and Incidence Rule Rationale

- The AFHSD methodology attempts to capture both “confirmed” and “possible” cases of measles, while recognizing that data regarding “possible” cases lacks specificity and must be interpreted with caution. During case definition development, a review of cases with an initial primary diagnosis of measles revealed that many were misdiagnoses, tentative “rule out” diagnoses, or miscoded encounters for vaccination or laboratory testing. To optimize specificity and focus on verifiable infections, AFHSD limits possible cases to individuals with measles listed in the *first* diagnostic position, accompanied by *at least one* associated measles symptom in any other diagnostic position.
- An RME with a diagnosis of measles classified as “probable” or “suspected” and never updated to “confirmed” is treated as a “possible” case. Thus, “possible” cases may include true measles cases without follow-up RMEs confirming the diagnosis, as well as cases documented during inpatient or outpatient medical encounters for which no RMEs were transmitted by local military public health officials.
- To identify the most frequently documented symptoms associated with a primary diagnosis of measles, the AFHSD conducted a line-listing review. However, the resulting data may not accurately reflect the disease’s typical clinical presentation. Investigators utilizing this case definition may want to consider an alternative symptom list.



- The vaccine exclusions used in the case definition apply only to “possible” cases of measles. The list of exclusions includes vaccination codes specific to and related to measles vaccination. Related vaccinations given during the same medical encounter as the measles diagnosis would cast doubt on the accuracy of the diagnosis.

Code Set Determination and Rationale

- Codes ICD10 B05.3 (measles complicated by otitis media) / ICD9 055.2 (post measles otitis media) and ICD10 B05.81 (measles keratitis and keratoconjunctivitis) / ICD9 055.71 (measles keratoconjunctivitis) are not included in the code set. A review of cases indicated individuals with these codes were not actual cases of measles.

Reports

The AFHSD reports on measles in the following reports:

- Periodic *MSMR* articles.
- The Defense Centers for Public Health-Aberdeen (DCPH-A) publishes a monthly RME Report which can be obtained by sending an email to: dha.apg.Pub-Health-A.mbx.disease-epidemiologyprogram13@health.mil. A link to this email is also available on the Defense Health Agency (DHA) website; <https://www.health.mil/Military-Health-Topics/Health-Readiness/Public-Health/AFHSD/Reports-and-Publications/Armed-Forces-Reportable-Medical-Events>. Accessed May 2026.

Review

May 2026	Case definition updated by the AFHSD Surveillance Methods and Standards (SMS) working group.
May 2015	Case definition reviewed and adopted by the Armed Forces Health Surveillance Center (AFHSC) SMS working group.
Feb 2015	Case definition developed by AFHSC <i>MSMR</i> staff.

Comments

- Measles is a reportable medical event in the *Armed Forces Reportable Medical Events* surveillance system, listed under “Vaccine Preventable Diseases.”

