

DoD Consolidated Influenza Surveillance Report

Week 53 (27 Dec 2020 — 02 Jan 2021)




One Page Summary: Weekly Highlights

- Laboratory-confirmed influenza cases, dispensed antiviral prescription counts, and inpatient counts among all beneficiaries remained very low.
- COVID-19 mitigation efforts are likely contributing to the lower than normal influenza activity levels.
- Among active component Service Members, laboratory-confirmed influenza cases and antiviral prescriptions remained low.
- ILI activity was minimal for the majority of installations.
- COVID-19 cases are accounting for 99% of all influenza and COVID-19 cases combined.
- There were no laboratory-confirmed influenza hospitalizations reported for week 53 (Season total: 3).

Influenza Surveillance Indicators (2020-2021 season)

All Beneficiaries	Total Per Week	Trend	Activity Level
Laboratory Cases	31		Low
Dispensed Antivirals	34		Low
Severity			Activity Level
Inpatient Laboratory Cases	1		Low
Inpatient Dispensed Antivirals	2		Low
Active Component			Activity Level
Laboratory Cases	13		Low
Dispensed Antivirals	7		Low
ILI Outpatient Visits	1%		Minimal

Laboratory-Confirmed Influenza and COVID-19 among Beneficiaries: Serotype Distribution




Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

Confirmed Influenza and COVID-19 Cases (2020-2021 Season: Week 53)


Number and Distribution of Influenza Positive Specimens since week 41, by Beneficiary Status and Serotype

- The majority of positive specimens continued to be among Service Members (SM) (290). Influenza A (not subtyped) predominated among SM and beneficiaries (0-17), while the remaining beneficiaries had a relatively equal mix of subtypes.




Number and Distribution of Influenza Positive Specimens and COVID-19 Cases since week 41, by Beneficiary Status

- COVID-19 cases continue to predominate among all beneficiary categories, representing 99% of the influenza and COVID-19 cases. The majority of COVID-19 cases since week 41 were among Service Members (56,752).



Percent of Specimens Positive for Influenza (by Serotype) or COVID-19




- The percent of specimens positive for influenza remained stable and very low. The percent of specimens positive for SARS-CoV-2 continued to increase and was near 14.5% for week 53.


Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

Laboratory-Confirmed Influenza (2020-2021 Season: Week 53)

- The number of laboratory-confirmed influenza cases among all beneficiaries remained stable and very low and below baseline and the threshold.
- Band indicates one standard deviation above and below seasonal baseline estimates. Threshold indicates two standard deviations above off-season average.



- The number of active component Service Member laboratory-confirmed influenza cases increased, but remained low and well below the threshold.
- Threshold indicates two standard deviations above seasonal baseline estimates.




Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

ILI and Dispensed Antiviral Prescriptions (2020-2021 Season: Week 53)

- The percentage of outpatient visits due to ILI increased, but was very low and well below baseline and prior seasons since week 16 of 2020.

- COVID-19 mitigation efforts are likely contributing to the lower than normal number of ILIs.


Percent of Outpatient Visits Due to ILI: Service Members, 2016-2017 to 2020-2021 Seasons



- Influenza-specific dispensed antiviral prescriptions among all beneficiaries remained stable and very low and well below the weekly baseline and threshold.

- Band indicates one standard deviation above and below seasonal baseline estimates. Threshold indicates two standard deviations above off-season average.

Influenza-Specific Dispensed Antiviral Prescriptions, All Beneficiaries




Influenza-Specific Dispensed Antiviral Prescriptions:

- The number of influenza-specific dispensed antiviral prescriptions among active component Service Members increased slightly, but remained very low.

- Threshold indicates two standard deviation above the overall weighted average during the season. However, there is not enough data for the season yet to calculate the threshold for this metric.

Active Component Service Members




Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.


Severity: Hospitalized Influenza Metrics (2020-2021 Season: Week 53)

- There were no laboratory-confirmed influenza hospitalizations reported during week 53. (Season total: 3).
- The number of inpatient influenza-specific dispensed antiviral prescriptions increased, but remained very low.
- Thresholds indicates one standard deviation above the overall weighted average during the season. However, there is not enough data for the season yet to calculate thresholds for these metrics.

Hospitalized Laboratory-Positive Influenza Cases, All Beneficiaries



Inpatient Dispensed Antivirals Prescriptions, All Beneficiaries



Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.


Influenza Activity: Geographic Combatant Command

(2020-2021 Season: Week 53)

**** The COVID-19 outbreak and its associated mitigation efforts occurring across the world, as well as lower healthcare seeking behavior, may have impacted ILI activity levels.**

- NORTHCOM: ILI activity was minimal. The number of laboratory-confirmed influenza cases remained very low; the majority being Influenza A (not subtyped).
- EUCOM: ILI activity was minimal. Only a small number of influenza positive specimen have been reported for the season.
- INDOPACOM: ILI activity was minimal. Only a small number of laboratory-confirmed influenza positive specimens have been reported.
- SOUTHCOM: ILI activity was minimal. Only 1 specimen has tested positive for influenza this season (influenza B).
- CENTCOM: ILI activity was low at the command level, but at the country level Kuwait had high activity.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)




*Locations colored in dark gray have no Service Member medical encounter data.

Influenza Activity: NORTHCOM (2020-2021 Season: Week 53)

**** The COVID-19 outbreak and its associated mitigation efforts occurring across the world, as well as lower healthcare seeking behavior, may have impacted ILI activity levels.**

- The majority of installations had minimal or low ILI activity during week 53. However, Great Lakes NB and Seymour Johnson AFB all had high activity.
- The majority of states had minimal ILI activity, however Alabama had moderate activity.
- State level data includes both Military Treatment Facility (MTF) and outsourced care. Therefore, state activity levels may differ from the installation level data.
- Installation-level laboratory-confirmed influenza and COVID-19 case data can be found on pages 14-19 of the report.

ILI Activity (Service Members) by State and Installation




Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

Influenza and COVID-19 Activity: EUCOM (2020-2021 Season: Week 53)

**** The COVID-19 outbreak and its associated mitigation efforts occurring across the world, as well as lower healthcare seeking behavior, may have impacted ILI activity levels.**

- ILI activity was minimal in all countries with available data.
- Only a small number of laboratory-confirmed influenza cases have been reported for EUCOM this season. The cases occurred in Germany and Italy.
- Installation-level laboratory-confirmed influenza and COVID-19 case data for EUCOM can be found on page 9 of the report.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



Confirmed Influenza and COVID-19: EUCOM (2020-2021 Season: Week 53)

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

Country	Location	Service	A (not sub-typed)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season		
Belgium	Shape	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	Barton Barracks	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	Landstuhl RMC	A	0	0	0	0	0	2	0	1	0	1	0	98	0	↔
Germany	Patch Barracks	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	Ramstein AB	F	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
Germany	Spangdahlem AB	F	0	0	0	0	0	0	0	0	0	0	0	9	0	↔
Germany	USAG Bavaria	A	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
Germany	USAG Hohenfels/Amberg	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	USAG Kaiserslautern	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	USAG Katterbach	A	1	1	0	0	0	0	0	0	0	0	1	10	10	↑
Germany	USAG Wiesbaden	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Italy	Aviano AB	F	1	1	0	0	0	0	0	0	0	0	1	7	14	↓
Italy	NAS Sigonella	N	0	0	0	0	0	0	0	0	0	0	0	8	0	↔
Italy	NSA Naples	N	0	0	0	0	0	1	0	2	0	1	0	8	0	↔
Italy	USAG Italy	A	0	0	0	0	0	0	0	0	0	0	0	10	0	↔
Spain	NS Rota	N	0	0	0	0	0	0	0	0	0	0	0	24	0	↔
Turkey	Incirlik AB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
United Kingdom	RAF Alconbury	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
United Kingdom	RAF Croughton	F	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
United Kingdom	RAF Lakenheath	F	0	0	0	0	0	0	0	0	0	0	0	15	0	↔

COVID-19 Cases Since Week 41 by Installation (All Beneficiaries)


Country	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
Belgium	Shape	A	3	52	↑
Germany	Barton Barracks	A	0	19	↔
Germany	Landstuhl RMC	A	120	1143	↓
Germany	Patch Barracks	A	0	9	↔
Germany	Ramstein AB	F	25	134	↑
Germany	Spangdahlem AB	F	1	41	↓
Germany	USAG Bavaria	A	296	651	↓
Germany	USAG Hohenfels/Amberg	A	2	116	↓
Germany	USAG Kaiserslautern	A	1	13	↔
Germany	USAG Katterbach	A	2	48	↓
Germany	USAG Wiesbaden	A	10	148	↑
Italy	Aviano AB	F	15	151	↑
Italy	NAS Sigonella	N	1	9	↔
Italy	NSA Naples	N	6	58	↑
Italy	USAG Italy	A	33	218	↑
Spain	NS Rota	N	2	51	↔
Turkey	Incirlik AB	F	0	47	↔
United Kingdom	RAF Alconbury	F	0	3	↔
United Kingdom	RAF Croughton	F	1	4	↔
United Kingdom	RAF Lakenheath	F	60	146	↑

Influenza Activity: INDOPACOM (2020-2021 Season: Week 53)


**** The COVID-19 outbreak and its associated mitigation efforts occurring across the world, as well as lower healthcare seeking behavior, may have impacted ILI activity levels.**

- ILI activity was minimal in all countries with available data.
- Laboratory-confirmed influenza cases have been reported in the Republic of Korea, Japan, and Hawaii this season.
- Installation-level laboratory-confirmed influenza and COVID-19 case data for INDOPACOM can be found on page 11 of the report.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



*Locations colored in dark gray have no Service Member medical encounter data.



Influenza Activity: INDOPACOM (2020-2021 Season: Week 53)

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

Country	Location	Service	A (not sub-typed)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks
Guam	JB Andersen	J	0	0	0	0	0	0	0	0	0	0	0	57	0	↔
Japan	CFA Okinawa	N	0	0	0	0	0	0	0	0	0	0	0	6	0	↔
Japan	CFA Yokosuka	N	0	1	0	0	0	0	0	0	0	2	0	4	0	↔
Japan	Camp Foster	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Japan	Camp Fuji	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Japan	Camp Zama	A	0	0	0	0	0	0	0	1	0	0	0	4	0	↔
Japan	Kadena AB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Japan	MCAS Futenma	N	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
Japan	MCAS Iwakuni	N	0	0	0	0	0	0	0	0	0	0	0	12	0	↔
Japan	Misawa AB	F	0	1	0	0	0	0	0	0	0	3	0	5	0	↔
Japan	NAF Atsugi	N	0	0	0	0	0	0	0	0	0	1	0	5	0	↔
Japan	NB Okinawa	N	0	1	0	0	0	0	0	2	0	0	0	19	0	↔
Japan	USFA Sasebo	N	0	0	0	0	0	0	0	0	0	0	0	6	0	↔
Japan	Yokota AB	F	0	0	0	0	0	0	1	1	0	0	1	29	3	↓
Korea, Republic of	CFA Chinhae	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Korea, Republic of	Camp Casey	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Korea, Republic of	Camp Humphreys	A	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
Korea, Republic of	Camp Walker	A	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
Korea, Republic of	Kunsan AB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Korea, Republic of	Osan AB	F	0	0	0	0	0	0	0	0	0	0	0	8	0	↔
Korea, Republic of	Yongsan Garrison	A	0	6	0	0	0	0	0	0	0	0	0	28	0	↔
United States	Camp H M Smith	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
United States	Ft Shafter	A	0	2	0	0	0	1	0	5	0	1	0	29	0	↔
United States	JB Pearl Harbor-Hickam	J	0	1	0	0	0	0	0	2	0	0	0	0	0	↔
United States	MCB Hawaii	N	0	1	0	0	0	0	0	2	0	0	0	4	0	↔
United States	Schofield Barracks	A	0	0	0	0	0	0	0	0	0	0	0	40	0	↔


COVID-19 Cases Since Week 41 by Installation (All Beneficiaries)

Country	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
Guam	JB Andersen	J	7	148	↑
Japan	CFA Okinawa	N	0	0	↔
Japan	CFA Yokosuka	N	29	141	↓
Japan	Camp Foster	N	0	0	↔
Japan	Camp Fuji	N	1	3	↔
Japan	Camp Zama	A	11	28	↓
Japan	Kadena AB	F	9	36	↑
Japan	MCAS Futenma	N	0	0	↔
Japan	MCAS Iwakuni	N	39	91	↑
Japan	Misawa AB	F	1	9	↓
Japan	NAF Atsugi	N	9	28	↓
Japan	NB Okinawa	N	37	276	↓
Japan	USFA Sasebo	N	0	18	↔
Japan	Yokota AB	F	6	108	↓
Korea, Republic of	CFA Chinhae	N	0	0	↔
Korea, Republic of	Camp Casey	A	0	7	↔
Korea, Republic of	Camp Humphreys	A	0	71	↔
Korea, Republic of	Camp Walker	A	0	0	↔
Korea, Republic of	Kunsan AB	F	1	20	↓
Korea, Republic of	Osan AB	F	4	46	↓
Korea, Republic of	Yongsan Garrison	A	5	12	↑
United States	Camp H M Smith	N	0	0	↔
United States	Ft Shafter	A	60	253	↑
United States	JB Pearl Harbor-Hickam	J	19	221	↓
United States	MCB Hawaii	N	33	72	↑
United States	Schofield Barracks	A	17	95	↑

Influenza Activity: SOUTHCOM (2020-2021 Season: Week 53)

**** The COVID-19 outbreak and its associated mitigation efforts occurring across the world, as well as lower healthcare seeking behavior, may have impacted ILI activity levels.**

- ILI activity remained minimal in Honduras and Cuba.
- Only 1 laboratory-confirmed influenza case has been reported for SOUTHCOM for the 2020-2021 season (Influenza B).



*Locations colored in dark gray have no Service Member medical encounter data.

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

Country	Location	Service	A (not sub-typed)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season				
Cuba	Guantanamo Bay	N	0	0	0	0	0	0	0	0	0	1	0	3	0	↔

COVID-19 Cases Since Week 41 by Installation (All Beneficiaries)


Country	Location	Service	COVID-19		Change from last report
			2 wks	Since week 41	
Cuba	Guantanamo Bay	N	0	1	↔

Influenza Activity: CENTCOM (2020-2021 Season: Week 53)

**** The COVID-19 outbreak and its associated mitigation efforts occurring across the world, as well as lower healthcare seeking behavior, may have impacted ILI activity levels.**

- ILI activity was minimal to low in all countries with available data, except for Kuwait which had high activity.

ILI Activity (Service Members)



*Locations colored in dark gray have no Service Member medical encounter data.

NORTHCOM Laboratory-Confirmed Influenza

(2020-2021 Season: Week 53)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Alaska through Georgia

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		B		Total positive 2 wks	Total tested 2 wks	% Positive 2 wks	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season				
AK	Eielson AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
AK	Ft Greely	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
AK	Ft Wainwright	A	0	0	0	0	0	0	0	1	0	0	0	0	0	↔
AK	JB Elmendorf-Richardson	J	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
AL	Ft Rucker	A	0	0	0	0	0	0	0	0	0	3	0	36	0	↔
AL	Maxwell AFB	F	1	1	0	0	0	0	0	0	0	0	1	27	4	↑
AL	Redstone Arsenal	A	0	2	0	0	0	0	0	0	1	3	1	18	6	↑
AR	Little Rock AFB	F	0	1	0	0	0	0	0	0	0	3	0	5	0	↔
AZ	Ft Huachuca	A	0	3	0	0	0	0	0	0	0	3	0	25	0	↔
AZ	Luke AFB	F	0	0	0	0	0	0	0	0	0	0	0	12	0	↔
AZ	MCAS Yuma	N	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
CA	Camp Pendleton	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
CA	NB San Diego	N	0	0	0	0	0	0	0	0	0	0	0	43	0	↔
CO	Buckley AFB	F	0	0	0	0	0	0	0	0	0	2	0	5	0	↔
CO	Ft Carson	A	1	3	0	0	0	0	2	7	1	6	4	111	4	↑
CO	Peterson AFB	F	0	0	0	0	0	0	0	0	0	0	0	7	0	↔
CO	Schriever AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
CO	USAF Academy	F	0	0	0	0	0	0	1	1	0	1	1	4	25	↓
CT	NSB New London	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
DC	JB Anacostia-Bolling	F	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
DC	Pentagon	J	0	0	0	0	0	0	0	0	0	0	0	4	0	↔
DC	Washington Navy Yard	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
DE	Dover AFB	F	0	5	0	0	0	0	0	0	0	6	0	7	0	↔
FL	Eglin AFB	J	0	0	0	0	0	0	1	1	0	0	1	25	4	↓
FL	Hurlburt Field	F	0	0	0	0	0	0	0	4	0	0	0	9	0	↔
FL	Macdill AFB	F	0	1	0	0	0	0	0	0	1	7	1	72	1	↑
FL	NAS Jacksonville	J	4	26	0	0	0	0	0	2	1	21	5	263	2	↑
FL	NAS Key West	J	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
FL	NAS Pensacola	N	0	0	0	0	0	0	0	0	3	8	3	245	1	↔
FL	NAS Whiting Field	N	0	0	0	0	0	0	0	0	0	2	0	0	0	↔
FL	NS Mayport	J	0	1	0	0	0	0	0	0	0	0	0	1	0	↔
FL	Patrick AFB	F	0	0	0	0	0	0	0	1	0	2	0	16	0	↔
FL	Tyndall AFB	F	0	1	0	0	0	0	0	0	1	1	1	8	13	↓
GA	Ft Benning	A	0	0	0	0	0	0	0	2	0	1	0	27	0	↔
GA	Ft Gordon	A	0	0	0	0	0	0	0	0	0	3	0	75	0	↔
GA	Ft Stewart	A	0	2	0	0	0	0	0	0	0	0	0	31	0	↔
GA	Hunter Army Airfield	A	0	0	0	0	0	0	0	0	0	0	0	5	0	↔
GA	Moody AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
GA	NAS Albany	J	0	1	0	0	0	0	0	0	0	0	0	1	0	↔
GA	NSB Kings Bay	J	1	1	0	0	0	0	0	0	0	0	1	2	50	↑
GA	Robins AFB	F	0	0	0	0	0	0	0	0	0	0	0	1	0	↔

Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

NORTHCOM COVID-19 Cases

(2020-2021 Season: Week 53)

COVID-19 Cases Since Week 41 (All Beneficiaries) by Installation Alaska through Georgia

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
AK	Eielson AFB	F	39	215	↑
AK	Ft Greely	A	0	1	↔
AK	Ft Wainwright	A	18	542	↓
AK	JB Elmendorf-Richardson	J	82	1233	↓
AL	Ft Rucker	A	46	327	↑
AL	Maxwell AFB	F	61	285	↑
AL	Redstone Arsenal	A	19	86	↓
AR	Little Rock AFB	F	46	215	↑
AZ	Davis-Monthan AFB	F	36	228	↓
AZ	Ft Huachuca	A	64	245	↑
AZ	Luke AFB	F	119	599	↓
AZ	MCAS Yuma	N	10	122	↓
CA	Beale AFB	F	34	189	↓
CA	Camp Pendleton	N	294	1637	↓
CA	Edwards AFB	F	18	134	↓
CA	Ft Irwin	A	78	398	↑
CA	Los Angeles AFB	F	3	15	↔
CA	MBHC Eastlake	N	0	12	↔
CA	NAF El Centro	N	0	1	↔
CA	NAH Lemoore	N	67	272	↑
CA	NB Coronado	N	11	56	↑
CA	NB San Diego	N	1018	3712	↑
CA	NV Ventura County	N	0	1	↔
CA	Travis AFB	F	79	569	↓
CA	Twentynine Palms	N	35	538	↑
CA	USAG Presidio of Monterey	A	51	123	↑
CA	Vandenberg AFB	F	32	118	↑
CO	Buckley AFB	F	12	189	↑

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
CO	Ft Carson	A	250	2686	↑
CO	Peterson AFB	F	22	348	↓
CO	Schriever AFB	F	4	48	↑
CO	USAF Academy	F	8	197	↓
CT	NSB New London	N	0	63	↔
DC	JB Anacostia-Bolling	F	5	53	↔
DC	JB Myer-Henderson Hall	A	0	16	↔
DC	Pentagon	J	9	108	↓
DC	Washington Navy Yard	N	1	11	↔
DE	Dover AFB	F	65	345	↓
FL	Eglin AFB	J	154	798	↓
FL	Hurlburt Field	F	70	441	↓
FL	Macdill AFB	F	51	337	↓
FL	NAS Jacksonville	J	255	1315	↑
FL	NAS Key West	J	0	3	↔
FL	NAS Pensacola	N	102	390	↑
FL	NAS Whiting Field	N	7	21	↑
FL	NS Mayport	J	73	352	↑
FL	Patrick AFB	F	20	170	↓
FL	Tyndall AFB	F	23	120	↑
GA	Ft Benning	A	190	1032	↑
GA	Ft Gordon	A	315	1008	↑
GA	Ft Stewart	A	69	515	↑
GA	Hunter Army Airfield	A	44	322	↓
GA	Moody AFB	F	52	250	↓
GA	NAS Albany	J	2	8	↓
GA	NSB Kings Bay	J	35	186	↑
GA	Robins AFB	F	38	200	↓

Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

NORTHCOM Laboratory-Confirmed Influenza

(2020-2021 Season: Week 53)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		B		Total positive		Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	
IL	NS Great Lakes	N	0	0	0	0	0	0	0	0	0	0	0	382	0	0	↔
IL	Scott AFB	F	0	0	0	0	0	0	0	0	0	0	0	1	0	0	↔
KS	Ft Leavenworth	A	0	0	0	0	0	0	0	0	0	2	0	3	0	0	↔
KS	Ft Riley	A	0	3	0	0	0	0	0	2	0	1	0	32	0	0	↔
KS	McConnell AFB	F	0	0	0	0	0	0	0	0	0	0	0	30	0	0	↔
KY	Ft Campbell	A	0	3	0	0	0	0	1	2	5	2	35	6	0	↑	
KY	Ft Knox	A	0	0	0	0	0	0	0	0	0	0	6	0	0	↔	
LA	Barksdale AFB	F	0	1	0	0	0	0	0	0	1	0	19	0	0	↔	
LA	Ft Polk	A	0	6	0	0	0	0	1	0	6	0	0	0	0	↔	
MA	Hanscom AFB	F	1	1	0	0	0	0	0	0	0	1	2	50	0	↓	
MD	Aberdeen Proving Ground	A	0	0	0	0	0	0	0	1	7	1	28	4	0	↓	
MD	Ft Detrick	A	0	0	0	0	0	0	0	0	0	0	2	0	0	↔	
MD	Ft Meade	A	0	0	0	0	0	0	0	0	0	0	2	0	0	↔	
MD	JB Andrews	F	0	3	0	0	0	0	2	0	2	0	369	0	0	↔	
MD	NAS Patuxent River	N	0	27	0	0	0	0	2	2	3	2	32	6	0	↓	
MD	NBHC Bancroft Hall	N	0	1	0	0	0	0	0	0	0	0	0	0	0	↔	
MD	NHC Annapolis	N	0	1	0	0	0	0	0	0	0	0	5	0	0	↔	
MD	NSF Indian Head	N	1	18	0	0	0	0	0	0	0	1	3	33	0	↑	
MD	WRNMMC	J	0	1	0	0	0	0	3	0	1	0	163	0	0	↔	
MO	Ft Leonard Wood	A	0	3	0	0	0	0	0	0	2	0	72	0	0	↔	
MO	Whiteman AFB	F	0	0	0	0	0	0	0	0	0	0	12	0	0	↔	
MS	Columbus AFB	F	0	1	0	0	0	0	0	0	2	0	4	0	0	↔	
MS	Keesler AFB	J	0	0	0	0	0	0	0	0	0	0	141	0	0	↔	
MS	NAS Meridian	N	0	0	0	0	0	0	0	0	0	0	3	0	0	↔	
MS	NBHC Gulfport	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔	
MT	Malmstrom AFB	F	0	0	0	0	0	0	1	0	0	0	1	0	0	↔	
NC	Camp Lejeune	N	12	120	0	0	0	0	0	0	3	12	70	17	0	↑	
NC	Ft Bragg	J	0	0	0	0	0	0	0	0	0	0	69	0	0	↔	
NC	MCAS Cherry Point	N	0	3	0	0	0	0	0	0	7	0	8	0	0	↔	
NC	Pope Army Airfield	J	0	0	0	0	0	0	0	0	0	0	0	0	0	↔	
NC	Seymour Johnson AFB	J	0	3	0	0	0	0	1	0	1	0	4	0	0	↔	
ND	Grand Forks AFB	F	0	0	0	0	0	0	0	0	0	0	2	0	0	↔	
ND	Minot AFB	F	0	0	0	0	0	0	0	0	0	0	2	0	0	↔	
NE	Offutt AFB	F	0	0	0	0	0	0	0	0	0	0	7	0	0	↔	
NH	Portsmouth	N	0	0	0	0	0	0	1	1	0	1	10	10	0	↓	
NJ	JB McGuire-Dix-Lakehurst	F	0	0	0	0	0	0	2	0	1	0	40	0	0	↔	
NM	Cannon AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔	
NM	Holloman AFB	F	0	0	0	0	0	0	2	0	0	0	3	0	0	↔	
NM	Kirtland AFB	F	0	1	0	0	0	0	1	0	0	0	0	0	0	↔	
NM	White Sands Missile Range	A	0	0	0	0	0	0	0	0	0	0	1	0	0	↔	
NY	Ft Drum	A	0	0	0	0	0	0	0	0	1	0	9	0	0	↔	
NY	West Point	A	0	1	0	0	0	0	2	0	1	0	3	0	0	↔	

Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

NORTHCOM COVID-19 Cases

(2020-2021 Season: Week 53)

COVID-19 Cases Since Week 41 (All Beneficiaries) by Installation Illinois through New York

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
ID	Mountain Home AFB	F	5	104	↑
IL	NS Great Lakes	N	342	1765	↑
IL	Rock Island Arsenal	A	0	1	↔
IL	Scott AFB	F	34	490	↓
KS	Ft Leavenworth	A	29	350	↓
KS	Ft Riley	A	93	806	↓
KS	Mcconnell AFB	F	28	266	↑
KY	Ft Campbell	A	348	2567	↓
KY	Ft Knox	A	26	319	↓
LA	Barksdale AFB	F	34	309	↑
LA	Ft Polk	A	53	316	↑
LA	NAS Belle Chase	N	0	2	↔
MA	Hanscom AFB	F	15	60	↓
MD	Aberdeen Proving Ground	A	6	48	↔
MD	Ft Detrick	A	8	35	↔
MD	Ft Meade	A	69	357	↑
MD	JB Andrews	F	90	390	↑
MD	NAS Patuxent River	N	19	106	↑
MD	NBHC Bancroft Hall	N	4	120	↔
MD	NHC Annapolis	N	7	77	↓
MD	NSF Indian Head	N	2	43	↔
MD	WRNMMC	J	167	932	↑
MO	Ft Leonard Wood	A	231	2803	↓
MO	Whiteman AFB	F	28	314	↑
MS	Columbus AFB	F	11	81	↓
MS	Keesler AFB	J	107	588	↑
MS	NAS Meridian	N	6	17	↑
MS	NBHC Gulfport	N	0	11	↔
MT	Malmstrom AFB	F	24	486	↑
NC	Camp Lejeune	N	408	2574	↑
NC	Ft Bragg	J	602	3570	↓
NC	MCAS Cherry Point	N	21	218	↓
NC	Pope Army Airfield	J	0	9	↔
NC	Seymour Johnson AFB	J	25	252	↓
ND	Grand Forks AFB	F	3	145	↔
ND	Minot AFB	F	27	713	↑
NE	Offutt AFB	F	32	700	↓
NH	Portsmouth	N	4	23	↔
NJ	JB McGuire-Dix-Lakehurst	F	94	564	↑
NM	Cannon AFB	F	4	137	↓
NM	Holloman AFB	F	29	286	↑
NM	Kirtland AFB	F	32	184	↑
NM	White Sands Missile Range	A	2	20	↑
NV	Nellis AFB	F	129	1119	↓
NY	Ft Drum	A	44	433	↓
NY	West Point	A	33	207	↓

Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

NORTHCOM Laboratory-Confirmed Influenza

(2020-2021 Season: Week 53)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		B		Total positive 2 wks	Total tested 2 wks	% Positive 2 wks	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season				
OH	Wright-Patterson AFB	F	0	0	0	0	0	0	0	4	0	1	0	131	0	↔
OK	Altus AFB	F	0	1	0	0	0	0	0	0	0	2	0	43	0	↔
OK	Ft Sill	A	0	1	0	0	0	0	0	0	0	2	0	19	0	↔
OK	Tinker AFB	F	0	1	0	0	0	0	0	0	0	0	0	7	0	↔
OK	Vance AFB	F	0	0	0	0	0	0	0	0	0	1	0	4	0	↔
PA	Carlisle Barracks	A	0	0	0	0	0	0	0	0	0	0	0	4	0	↔
PR	Ft Buchanan	A	0	0	0	0	0	0	0	0	0	1	0	4	0	↔
PR	NS Roosevelt Roads	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
RI	NHC New England	N	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
SC	Ft Jackson	A	0	0	0	0	0	0	0	0	0	0	0	7	0	↔
SC	JB Charleston	J	1	4	0	0	0	0	0	1	1	7	2	34	6	↓
SC	MCAS Beaufort	N	1	2	0	0	0	0	0	0	0	0	1	15	7	↑
SC	Parris Island	N	0	0	0	0	0	0	0	0	0	2	0	6	0	↔
SC	Shaw AFB	F	0	0	0	0	0	0	0	0	0	1	0	57	0	↔
SD	Ellsworth AFB	F	0	0	0	0	0	0	0	0	2	3	2	39	5	↑
TN	Ft Campbell	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
TN	NSA Mid-South	N	1	1	0	0	0	0	0	0	0	1	1	21	5	↓
TX	Dyess AFB	F	0	1	0	0	0	0	0	0	0	2	0	6	0	↔
TX	Ft Bliss	A	0	3	0	0	0	1	0	1	1	6	1	144	1	↓
TX	Ft Hood	A	0	1	0	0	0	0	0	0	0	0	0	167	0	↔
TX	Goodfellow AFB	F	0	0	0	0	0	0	0	1	0	0	0	13	0	↔
TX	JB San Antonio	J	0	3	0	0	0	0	1	18	1	11	2	2151	0	↔
TX	Laughlin AFB	F	0	0	0	0	0	0	0	1	0	0	0	8	0	↔
TX	NAS Corpus Christi	N	0	0	0	0	0	0	0	0	0	0	0	6	0	↔
TX	NAS JRB Fort Worth	N	0	0	0	0	0	0	0	0	0	0	0	4	0	↔
TX	NAS Kingsville	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
TX	Sheppard AFB	F	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
UT	Hill AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	Ft Belvoir	J	1	2	0	0	0	0	0	1	0	0	1	65	2	↑
VA	Ft Lee	A	0	4	0	0	0	0	0	4	0	0	0	3	0	↔
VA	JB Langley-Eustis	J	0	5	0	0	0	0	0	5	1	35	1	216	0	↑
VA	JB Little Creek-Ft Story	J	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	JB Myer-Henderson Hall	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	MCB Quantico	N	0	0	0	0	0	0	0	0	0	0	0	14	0	↔
VA	NAS Oceana	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	NS Norfolk	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	NWS Dahlgren	N	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
VA	NWS Yorktown	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	Portsmouth	N	0	0	0	0	0	0	0	0	0	0	0	117	0	↔
WY	FE Warren AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔

Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

NORTHCOM COVID-19 Cases

(2020-2021 Season: Week 53)

COVID-19 Cases Since Week 41 (All Beneficiaries) by Installation Ohio through Wyoming

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
OH	Wright-Patterson AFB	F	152	1182	↓
OK	Altus AFB	F	21	142	↑
OK	Ft Sill	A	133	1622	↑
OK	Tinker AFB	F	88	624	↓
OK	Vance AFB	F	28	195	↑
PA	Carlisle Barracks	A	19	222	↓
PR	Ft Buchanan	A	6	51	↔
RI	NHC New England	N	17	75	↑
SC	Ft Jackson	A	105	1073	↑
SC	JB Charleston	J	56	285	↓
SC	MCAS Beaufort	N	31	154	↑
SC	Parris Island	N	56	273	↑
SC	Shaw AFB	F	71	317	↑
SD	Ellsworth AFB	F	26	325	↓
TN	Ft Campbell	A	1	4	↔
TN	NSA Mid-South	N	11	41	↑
TX	Dyess AFB	F	47	301	↓
TX	Ft Bliss	A	412	2609	↓
TX	Ft Hood	A	738	3936	↑
TX	Goodfellow AFB	F	18	206	↓
TX	JB San Antonio	J	1128	3563	↑
TX	Laughlin AFB	F	25	87	↓
TX	NAS Corpus Christi	N	5	61	↓
TX	NAS JRB Fort Worth	N	5	27	↔
TX	NAS Kingsville	N	1	12	↔
TX	Sheppard AFB	F	21	248	↓
UT	Hill AFB	F	19	191	↓
VA	Ft Belvoir	J	194	1129	↔
VA	Ft Lee	A	40	314	↓
VA	JB Langley-Eustis	J	176	772	↑
VA	JB Little Creek-Ft Story	J	2	14	↑
VA	JB Myer-Henderson Hall	A	24	124	↑
VA	MCB Quantico	N	14	133	↓
VA	NAS Oceana	N	77	132	↑
VA	NB Dam Neck	N	0	2	↔
VA	NBHC Chesapeake	N	1	3	↔
VA	NS Norfolk	N	34	197	↑
VA	NWS Dahlgren	N	0	6	↔
VA	NWS Yorktown	N	10	32	↑
VA	Portsmouth	N	859	3371	↑
VA	TPC Chesapeake	N	0	1	↔
VA	TPC Suffolk	N	1	2	↔
WY	FE Warren AFB	F	37	358	↑

Disclaimer: Influenza lab data are not available from sites that have transitioned to MHS Genesis and encounter data may be delayed. Therefore, these sites are not included in the lab portion of this report and the accuracy of the activity levels may be impacted.

Surveillance Programs and Data Sources

Defense Health Agency / Armed Forces Health Surveillance Division (AFHSD):

The Armed Forces Health Surveillance Division (AFHSD) is the central epidemiologic resource for the U.S. Armed Forces, conducting medical surveillance to protect those who serve our nation in uniform and allies who are critical to our national security interests. The Epidemiology and Analysis Section of AFHSD, the Epi Data Center of the Navy and Marine Corps Public Health Center, and the Air Force Satellite Office in Dayton, Ohio (Wright-Patterson AFB) have compiled data for this report from the following sources below.

Influenza-like Illness Activity:

Medical encounter and demographic data from the AFHSD's Defense Medical Surveillance System (DMSS) are used to generate portions of this report. ICD-10 codes from outpatient encounters are used to identify influenza-like illness (ILI). ILI is defined using the following codes: B97.89, H66.9, H66.90, H66.91, H66.92, H66.93, J00, J01.9, J01.90, J06.9, J09, J09.X, J09.X1, J09.X2, J09.X3, J09.X9, J10, J10.0, J10.00, J10.01, J10.08, J10.1, J10.2, J10.8, J10.81, J10.82, J10.83, J10.89, J11, J11.0, J11.00, J11.08, J11.1, J11.2, J11.8, J11.81, J11.82, J11.83, J11.89, J12.89, J12.9, J18, J18.1, J18.8, J18.9, J20.9, J40, R05, R50.9.

The percentage of all outpatient visits that have an ILI code is calculated each week for all service members, regardless of component. These data are presented weekly for the current season and compared to the four prior seasons among service members. Influenza activity levels are calculated by comparing the mean reported percent of visits due to ILI for the previous two weeks to the mean reported percent of visits due to ILI during baseline weeks (defined as non-influenza weeks (weeks 22-39) over the past 3 years). There are four influenza activity levels, minimal, low, moderate, and high. The activity level corresponds to the number of standard deviations (SD) below, at or above the mean for the current 2 week period compared to the mean of the baseline weeks. Minimal activity corresponds to an influenza percentage that is less than 2 SD above the mean. Low activity corresponds to an influenza percentage that is equal to or greater than 2 SD above the mean, but less than 4 SD above the mean. Moderate activity corresponds to an influenza percentage that is equal to or greater than 4 SD above the mean, but less than 6 SD above the mean. High activity corresponds to an influenza percentage that is equal to or greater than 6 SD above the mean.

Influenza activity levels are presented in the Combatant Command (CCMD) maps, either by Installation, state, or country.

Influenza Positive Specimens:

Influenza lab results (HL-7 formatted data) are compiled and transmitted from the Navy and Marine Corps Public Health Center to AFHSD. Results obtained via PCR, viral culture, and rapid influenza assays are reported. Although the inclusion of rapid tests may underestimate the weekly and cumulative percent positive estimates due to false negatives, visibility of the positive rapid results provides valuable information for this surveillance report. Influenza types/subtypes are categorized as influenza A/not subtyped, influenza A(H1N1), influenza A(H3N2), influenza A and B co-infection, and influenza B. Additionally, laboratory-confirmed positive results are used to identify influenza-related hospitalization cases across the DoD.

The percent positivity is calculated by dividing the number of influenza positive specimens by the total number of specimens (positive and negative only; inconclusive results are excluded). The distributions of percent positive specimens by subtype are presented on a weekly basis for the entire influenza season. For each CCMD state, the distribution of subtypes for the previous 2 weeks are presented as pie graphs for states and countries. For installations, data are presented in tables with counts and percent positive by subtype for the past 2 weeks and for the entire season. The "change from last report" column reports the absolute difference in the percent positive from the prior week's report to the current week's report.

Surveillance Programs and Data Sources

COVID-19 Cases:

COVID-19 case data are compiled from the COVID-19 positive lab results (HL-7 formatted data) and cases reported in the DRSi. COVID-19 cases in this report only include cases that have occurred since Week 41 of the influenza season, with the exception of the figure on page 1, which includes COVID-19 cases back to Week 1. The percent positivity calculation is restricted to only COVID-19 cases reported through the lab data so that an accurate denominator can be obtained. The percent positivity is calculated by dividing the number of COVID-19 positive specimens by the total number of specimens tested for COVID-19. For installations, COVID-19 case data are presented in tables with case counts for the past 2 weeks and for the entire influenza season (Week 41 to current). The “change from last report” column reports the absolute difference in the number of COVID-19 case counts from the prior week’s report to the current week’s report.

Pharmacy Transactions for Dispensed Influenza Antiviral Prescriptions:

HL7-formatted pharmacy transactions are used to assess the number of dispensed influenza antiviral (AV) prescriptions. Four influenza AV medications approved by the Food and Drug Administration (FDA) are recommended by the CDC for use in the United States (US) for the 2019-2020 influenza season: oral oseltamivir (Tamiflu® or generic), inhaled zanamivir (Relenza®), and intravenous peramivir (Rapivab®), and baloxavir marboxil (Xofluz®). These prescriptions are included in this surveillance. The overall count of dispensed AV prescriptions by week is presented graphically for the influenza season. A seasonal baseline is displayed with dispensed AV prescriptions. Surveillance thresholds are displayed with the count of inpatient dispensed AV prescriptions. Additionally, counts of inpatient dispensed influenza AV prescriptions are presented weekly for the influenza season.

Influenza Baselines, Thresholds, and Trends:

Weekly baselines used a three-year average to compare results with those from the same week during the previous three seasons. Bands for one and two standard deviations above seasonal baseline estimates are displayed to indicate when trends diverge with respect to timing or volume from those of recent seasons. The ILI, lab, and dispensed AV prescription data thresholds are calculated by adding two standard deviations to the off-season average.

Inpatient thresholds (lab and dispensed AV prescription data) are calculated by adding one standard deviation to the overall weighted average for in-season weeks. Weeks that represent at least 2% of the total season’s laboratory-positive influenza cases for at least two consecutive weeks was considered to be “in-season” or influenza weeks; all other weeks are considered to be “off-season” or non-influenza weeks.

Links to Service-Specific Influenza Reports:

Select the following links to see service-specific influenza surveillance weekly reports:

- Navy and Marine Corps Public Health Center (NMCPHC):
<https://www.med.navy.mil/sites/nmcphc/epi-data-center/influenza/Pages/default.aspx>
- United States Air Force School of Aerospace Medicine (USAFSAM)/Defense Health Agency (DHA):
<https://hpws.af.mil/epi-consult/influenza/ActivityUpdates.cfm>