DoD Consolidated Influenza Surveillance Report

Week 44 (30 October 2022 — 05 November 2022)
















One Page Summary: Weekly Highlights

- Laboratory-confirmed influenza case counts and ILI activity were comparable to prior non-COVID-19 influenza seasons.
- Dispensed antiviral prescription counts and inpatient counts were low during week 44 of the 2022-2023 influenza season.
- All US states and installations with available data had minimal to low ILI activity, except Texas, which had high activity.
- COVID-19 cases accounted for a majority of all influenza and COVID-19 cases combined, for all populations except beneficiaries 0-17 year of age, for whom influenza has predominated.
- There was 1 new laboratory-confirmed influenza hospitalization reported during week 44 (Season total: 21).

Influenza Surveillance Indicators (2022-2023 season)

All Beneficiaries	Total Per Week		Trend	Activity Level
Laboratory Cases	1133		4 >	Normal
Dispensed Antivirals	332		A	Low
Severity				Activity Level
Inpatient Laboratory Cases	1		4 >	Low
Inpatient Dispensed Antivirals	6	-√h	4 >	Low
Active Component				Activity Level
Laboratory Cases	232	4111 	4 Þ	Low
Dispensed Antivirals	67	4	A	Low
ILI Outpatient Visits	2%	~	4 >	Minimal




Page 1 11/11/2022


Confirmed Influenza and COVID-19 Cases (2022-2023 Season: Week 44)

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

Number and Distribution of Influenza Positive Specimens since week 40, by Beneficiary Status and Serotype


 The number of laboratoryconfirmed influenza positive specimens for the season to date was highest among beneficiaries (0-17 years), 1,952 cases, followed by service members, 928 cases.






Number and Distribution of Influenza Positive Specimens and COVID-19 Cases since week 40, by Beneficiary Status

 COVID-19 cases predominated among all beneficiary categories, except among children, where influenza has predominated.



Percent of Specimens Positive for Influenza (by Serotype) or SARS-CoV-2




• The percent of specimens positive for influenza A (not subtyped) continued to increase and was higher than SARS-CoV-2 for week 44. Influenza A(H3N2) also continued to increase. The percent of specimens positive for SARS-CoV-2 decreased this week.

Laboratory-Confirmed Influenza (2022-2023 Season: Week 44)

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks


Laboratory-Positive Influenza Cases, All Beneficiaries

- The number of laboratory-confirmed influenza cases among all beneficiaries continued to increase and was well above the baseline and threshold for week 44.
- Band indicates one standard deviation above and below seasonal baseline estimates. Threshold indicates two standard deviations above offseason average.



Laboratory-Positive Influenza Cases, Active Component Service


- The number of active component Service Member laboratoryconfirmed influenza cases increased, but remained below the threshold.
- Threshold indicates two standard deviations above seasonal baseline estimates.



ILI and Dispensed Antiviral Prescriptions (2022-2023 Season: Week 44)


Percent of Outpatient Visits Due to ILI: Service Members, 2018-2019 to 2022-2023 Seasons

The percentage of outpatient visits due to ILI continued to increase and was above the 2 prior influenza seasons, but was lower than the baseline.



Influenza-Specific Dispensed Antiviral Prescriptions, All Beneficiaries


- Influenza-specific dispensed antiviral prescriptions among all beneficiaries continued to increase and was similar to the baseline.
- Band indicates one standard deviation above and below seasonal baseline estimates. Threshold indicates two standard deviations above off-season average.



Influenza-Specific Dispensed Antiviral Prescriptions:

The number of influenza-specific dispensed antiviral prescriptions among active component Service Members continued to increase.

Threshold indicates two standard deviation above the overall weighted average during the season. However, there is not enough data for the season to calculate the threshold for this metric.




11/11/2022


Severity: Hospitalized Influenza Metrics (2022-2023 Season: Week 44)

- There was 1 new laboratory-confirmed influenza hospitalization (A/H3) reported during week 44 among a service member. (Season total: 21; 4 service members and 17 other beneficiaries).
- The number of inpatient influenza-specific antiviral prescriptions remained low during week 44.
- Thresholds indicate one standard deviation above the overall weighted average during the season. However, there is not enough data for the season to calculate the threshold for the influenza-specific antiviral prescriptions metric.

Hospitalized Laboratory-Positive Influenza Cases, All Beneficiaries



Inpatient Dispensed Antivirals Prescriptions, All Beneficiaries




Influenza Activity: Geographic Combatant Command

(2022-2023 Season: Week 44)

- USNORTHCOM: ILI activity was minimal. The majority of laboratory-confirmed influenza cases have been Influenza A (not subtyped) and A(H3N2).
- USEUCOM: ILI activity was minimal. The majority of laboratory-confirmed influenza cases have been Influenza A (not subtyped) and A(H3N2).
- USINDOPACOM: ILI activity was minimal. The majority of laboratory-confirmed influenza cases have been Influenza A (not subtyped) and A(H3N2).
- USSOUTHCOM: ILI activity was minimal. No specimens have tested positive for influenza this season.
- USCENTCOM: ILI activity was moderate.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)




^{*}Locations colored in dark gray have no Service Member medical encounter data.

Influenza Activity: USNORTHCOM (2022-2023 Season: Week 44)

- All installations with available data had minimal to low ILI activity during week 44.
- The majority of states with available data had minimal ILI activity, however Texas had high activity and New York had low activity.
- Due to delays in receiving MHS GENESIS data, installations using MHS GENESIS will not have 2-week ILI activity data.
- State level data includes both Military Treatment Facility (MTF) and outsourced care. Therefore, state activity levels may differ from the installation level data.
- Installation-level laboratory-confirmed influenza and COVID-19 case data can be found on pages 14-19 of the report.


ILI Activity (Service Members) by State and Installation



Influenza and COVID-19 Activity: USEUCOM (2022-2023 Season: Week 44)

- ILI activity was minimal in all countries with available data.
- The majority of laboratory-confirmed influenza cases for USEUCOM have been influenza A (not subtyped). Among subtyped specimens, A(H3N2) has predominated.
- Installation-level laboratory-confirmed influenza and COVID-19 case data for USEUCOM can be found on page 9 of the report.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



 $^{{}^{*}\}text{Locations}$ colored in dark gray have no Service Member medical encounter data.

Confirmed Influenza and COVID-19: USEUCOM (2022-2023 Season: Week 44)

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

				ot sub-									Total	Total		
Country	Location	Service		ped)		I1N1)		H3N2)		& B		В	positive	tested		Change from
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	past 2 weeks
Belgium	Shape	Α	0	1	0	0	0	0	0	0	0	0	0	16	0	=
Germany	Barton Barracks	Α	0	0	0	0	0	0	0	0	0	0	0	0	0	=
Germany	Landstuhl RMC	Α	43	123	0	0	0	1	0	0	0	1	43	410	10	+
Germany	Patch Barracks	Α	0	0	0	0	0	0	0	0	0	0	0	0	0	=
Germany	Ramstein AB	F	0	0	0	0	1	2	0	0	0	0	1	7	14	1
Germany	Spangdahlem AB	F	1	1	0	0	0	0	0	0	0	0	1	2	50	+
Germany	USAG Bavaria	Α	33	58	0	0	0	0	0	0	0	0	33	116	28	-
Germany	USAG Hohenfels/Amberg	Α	0	1	0	0	0	0	0	0	0	0	0	8	0	=
Germany	USAG Kaiserslautern	Α	0	1	0	0	0	0	0	0	0	0	0	5	0	=
Germany	USAG Katterbach	Α	0	0	0	0	0	2	0	0	0	0	0	8	0	=
Germany	USAG Wiesbaden	Α	2	2	0	0	5	7	0	0	1	2	8	24	33	+
Italy	Aviano AB	F	1	8	0	0	1	3	0	0	0	0	2	8	25	-
Italy	NAS Sigonella	N	0	0	1	1	0	0	0	0	0	0	1	17	6	-
Italy	NSA Naples	N	22	41	0	0	0	0	0	0	0	0	22	89	25	-
Italy	USAG Italy	Α	4	16	0	0	0	0	0	0	0	0	4	82	5	=
Spain	NS Rota	N	0	2	0	0	0	0	0	0	0	0	0	33	0	=
Turkey	Incirlik AB	F	0	0	0	0	0	0	0	0	0	0	0	23	0	=
United Kingdom	RAF Alconbury	F	0	0	0	0	0	0	0	0	0	0	0	16	0	=
United Kingdom	RAF Croughton	F	1	1	0	0	0	0	0	0	0	0	1	5	20	-
United Kingdom	RAF Lakenheath	F	9	22	0	0	0	3	0	0	0	0	9	177	5	=


COVID-19 Cases Since Week 40 by Installation (All Beneficiaries)

			C	DVID-19	
Country	Location	Service	2 wks	Since week	Change from past 2 weeks
Belgium	Shape	Α	1	9	=
Germany	Barton Barracks	Α	0	0	=
Germany	Landstuhl RMC	Α	79	415	-
Germany	Patch Barracks	Α	0	0	=
Germany	Ramstein AB	F	3	20	-
Germany	Spangdahlem AB	F	7	46	-
Germany	USAG Bavaria	Α	31	106	+
Germany	USAG Hohenfels/Amberg	Α	0	9	=
Germany	USAG Kaiserslautern	Α	0	0	=
Germany	USAG Katterbach	Α	1	33	-
Germany	USAG Wiesbaden	Α	14	69	-
Italy	Aviano AB	F	35	79	-
Italy	NAS Sigonella	N	9	29	-
Italy	NSA Naples	N	40	64	+
Italy	USAG Italy	Α	14	46	=
Spain	NS Rota	N	8	22	-
Turkey	Incirlik AB	F	2	7	=
United Kingdom	RAF Alconbury	F	0	2	=
United Kingdom	RAF Croughton	F	1	3	=
United Kingdom	RAF Lakenheath	F	28	82	-


Influenza Activity: USINDOPACOM (2022-2023 Season: Week 44)

- ILI activity was minimal in all countries with available data.
- The majority of laboratory-confirmed influenza cases for USINDOPACOM have been influenza A (not subtyped). Among subtyped specimens, A(H3N2) has predominated.
- Installation-level laboratory-confirmed influenza and COVID-19 case data for USINDOPACOM can be found on page 11 of the report.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



 ${}^*\mbox{Locations colored in dark gray have no Service Member medical encounter data.}$





Influenza Activity: USINDOPACOM (2022-2023 Season: Week 44)

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

				ot sub- ped)	A (1)	I1N1)	۸ (۱	13N2)	A 8) n		В	Total positive	Total tasted	0/ Dositivo	
Country	Location	Service	2 wks	Season	,	Season	2 wks	2 wks	% Positive	Change from past 2 weeks						
Guam	JB Andersen	-	42	112	0	1	9	35	0	0	0	0	51	319	16	-
	CFA Okinawa	N	2	4	0	0	0	0	0	1	0	0	2	55	4	_
Japan	CFA Yokosuka	N	0	1	0	0	0	0	1	1	0	0	1	7	14	+
Japan	Camp Foster	N	0	0	0	0	0	0	0	0	0	0	0	5	0	=
Japan	Camp Fuji	N	0	0	0	0	0	0	0	0	0	0	0	2	0	=
Japan	Camp Zama	Α	0	0	0	0	0	0	0	0	0	0	0	9	0	=
Japan	Kadena AB	F	0	0	0	0	0	0	0	0	0	0	0	5	0	=
Japan	MCAS Futenma	N	0	0	0	0	0	0	0	0	0	0	0	3	0	=
Japan	MCAS Iwakuni	N	0	0	0	0	0	0	0	0	0	0	0	8	0	=
Japan	Misawa AB	F	0	0	0	0	0	0	0	0	0	0	0	25	0	=
Japan	NAF Atsugi	N	0	0	0	0	0	0	0	0	0	0	0	21	0	=
Japan	NB Okinawa	N	1	1	0	0	0	0	0	0	0	0	1	37	3	+
Japan	USFA Sasebo	N	2	2	0	0	0	0	0	0	0	0	2	17	12	+
Japan	Yokota AB	F	0	0	0	0	0	0	0	0	0	0	0	20	0	=
Korea, Republic of	CFA Chinhae	N	0	0	0	0	0	0	0	0	0	0	0	0	0	=
Korea, Republic of	Camp Casey	Α	0	0	0	0	0	0	0	0	0	0	0	1	0	=
Korea, Republic of	Camp Humphreys	Α	1	1	0	0	0	0	0	0	0	0	1	5	20	+
Korea, Republic of	Camp Walker	Α	2	2	0	0	0	0	0	0	0	0	2	25	8	-
Korea, Republic of	Kunsan AB	F	0	0	0	0	0	0	0	0	0	0	0	33	0	=
Korea, Republic of	Osan AB	F	0	1	0	0	0	0	0	0	0	0	0	33	0	=
Korea, Republic of	Yongsan Garrison	Α	3	4	0	0	0	0	0	0	0	0	3	45	7	-
United States	Camp H M Smith	N	0	0	0	0	0	0	0	0	0	0	0	0	0	=
United States	Ft Shafter	Α	0	21	0	1	0	11	0	0	0	0	0	0	0	=
United States	JB Pearl Harbor-Hickam	J	0	0	0	0	0	0	0	0	0	0	0	0	0	=
United States	MCB Hawaii	N	0	0	0	0	0	0	0	0	0	0	0	0	0	=
United States	Schofield Barracks	Α	0	4	0	0	0	0	0	0	0	0	0	0	0	=


COVID-19 Cases Since Week 40 by Installation (All Beneficiaries)

			CC	VID-19		
Country	Location	Service			Change from	
			2 wks	Since week	past 2 weeks	
Guam	JB Andersen	J	38	64	+	
Japan	CFA Okinawa	N	3	15	-	
Japan	CFA Yokosuka	N	0	16	=	
Japan	Camp Foster	N	1	7	-	
Japan	Camp Fuji	N	13	14	+	
Japan	Camp Zama	Α	17	57	-	
Japan	Kadena AB	F	10	24	-	
Japan	MCAS Futenma	N	2	2	=	
Japan	MCAS Iwakuni	N	4	10	+	
Japan	Misawa AB	F	2	31	-	
Japan	NAF Atsugi	N	3	11	+	
Japan	NB Okinawa	N	11	41	-	
Japan	USFA Sasebo	N	1	2	=	
Japan	Yokota AB	F	28	67	-	
Korea, Republic of	CFA Chinhae	N	0	0	=	
Korea, Republic of	Camp Casey	Α	0	2	=	
Korea, Republic of	Camp Humphreys	Α	0	1	=	
Korea, Republic of	Camp Walker	Α	15	25	+	
Korea, Republic of	Kunsan AB	F	12	16	+	
Korea, Republic of	Osan AB	F	31	75	-	
Korea, Republic of	Yongsan Garrison	Α	74	162	+	
United States	Camp H M Smith	N	0	0	=	
United States	Ft Shafter	Α	90	208	-	
United States	JB Pearl Harbor-Hickam	J	15	43	-	
United States	MCB Hawaii	N	0	0	=	
United States	Schofield Barracks	Α	0	0	=	

11/11/2022

Influenza Activity: USSOUTHCOM (2022-2023 Season: Week 44)

- ILI activity was minimal in Cuba and Honduras.
- No laboratory-confirmed influenza cases have been reported for USSOUTHCOM for the 2022-2023 season.



^{*}Locations colored in dark gray have no Service Member medical encounter data.

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)


			A (n	ot sub-									Total posi-	Total		
Country	Location	Service	ty	rped)	A (H	1N1)	A (H	13N2)	А	& B		В	tive	tested	% Positive	Change from
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	past 2 weeks
Cuba	Guantanamo Bay	N	0	0	0	0	0	0	0	0	0	0	0	4	0	=

COVID-19 Cases Since Week 40 by Installation (All Beneficiaries)

6 .				COVID-19	Change from
Country	Location	Service	2 wks	Since week 40	last report
Cuba	Guantanamo Bav	N	2	4	=

Influenza Activity: USCENTCOM (2022-2023 Season: Week 44)

• ILI activity was minimal in all countries with available data, except for Afghanistan and Kuwait, which had moderate activity.



^{*}Locations colored in dark gray have no Service Member medical encounter data.

USNORTHCOM Laboratory-Confirmed Influenza

(2022-2023 Season: Week 44)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Alaska through Georgia

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

								_		_		_				
State	Location	Service	A (not si	ihtyped)	Δ (Ι	H1N1)	A (H:	RN2)	Δ	& B		В	Total positive	Total tested	%	Change from
State	Location	Service	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	Change from past 2 weeks
AK	Eielson AFB	F	0	1	0	0	0	0	0	0	0	0	0	0	0	=
AK	Ft Wainwright	A	0	1	0	0	0	0	0	0	0	0	0	0	0	=
AK	JB Elmendorf-Richardson	J	0	3	0	0	0	0	0	0	0	0	0	0	0	=
AL	Ft Rucker	A	0	0	0	0	0	0	0	0	0	1	0	0	0	=
AL	Maxwell AFB	F	0	7	0	0	0	0	0	0	0	0	0	0	0	=
AL	Redstone Arsenal	A	0	1	0	0	0	0	0	0	0	0	0	0	0	=
AR	Little Rock AFB	F	0	6	0	0	0	0	0	0	0	0	0	0	0	=
AZ	Ft Huachuca	A	0	0	0	0	0	0	0	0	0	0	0	0	0	=
AZ	Luke AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
AZ	MCAS Yuma	N	0	0	0	0	0	0	0	0	0	0	0	0	0	=
CA	Beale AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
CA	Camp Pendleton	N	0	36	0	0	0	0	0	0	0	0	0	0	0	=
CA	Ft Irwin	A	0	3	0	0	0	0	0	0	0	0	0	0	0	=
CA	NAH Lemoore	N	0	0	0	0	0	1	0	0	0	0	0	0	0	=
CA	NB Coronado	N	0	1	0	0	0	0	0	0	0	0	0	0	0	=
CA		N	0	11	0	1	0	40	0	0	0	0	0	0	0	=
	NB San Diego		0		0	0	0				0	0	0	0	0	=
CA	NV Ventura County	N F	0	0	0		0	0	0	0		0	0	0	0	
CA	Travis AFB		_			0			0		0					=
CA	Twentynine Palms	N	0	10	0	0	0	0	0	0	0	1	0	0	0	=
CA	USAG Presidio of Monterey	A	0	0	0	0	0	1	0	0	0	0	0	0	_	=
CA	Vandenberg AFB	F F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
СО	Buckley AFB		0	0	0	0	0	0	0	0	0	0	0	0	0	=
CO	Ft Carson	A	0	4	0	0	0	0	0	0	0	5	0	0	0	=
CO	Peterson AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
СО	Schriever AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
CO	USAF Academy	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
CT	NSB New London	N	2	2	0	0	0	0	0	0	0	1	2	61	3	+
DC	JB Anacostia-Bolling	F	4	4	0	0	2	4	0	0	0	0	6	23	26	+
DC	Pentagon	J	4	4	0	0	0	1	0	0	0	0	4	25	16	+
DC	Washington Navy Yard	N	0	0	0	0	0	0	0	0	0	0	0	4	0	=
DE	Dover AFB	F	4	4	0	0	0	0	0	0	0	0	4	61	7	+
FL	Eglin AFB	J	0	46	0	0	0	3	0	0	0	0	0	0	0	=
FL	Hurlburt Field	F	0	1	0	0	0	0	0	0	0	0	0	0	0	=
FL	Macdill AFB	F	0	1	0	0	0	0	0	0	0	0	0	0	0	=
FL	NAS Jacksonville	J	0	8	0	0	0	0	0	0	0	2	0	0	0	=
FL	NAS Key West	J	0	0	0	0	0	0	0	0	0	3	0	0	0	=
FL	NAS Pensacola	N	0	33	0	0	0	0	0	0	0	4	0	0	0	=
FL	NAS Whiting Field	N	0	3	0	0	0	0	0	0	0	0	0	0	0	=
FL	NS Mayport	J	0	0	0	0	0	0	0	0	0	1	0	0	0	=
FL	Patrick AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
FL	Tyndall AFB	F	0	5	0	0	0	0	0	0	0	0	0	0	0	=
GA	Ft Benning	Α	0	102	0	0	0	0	0	0	0	0	0	0	0	=
GA	Ft Gordon	Α	0	55	0	0	0	0	0	0	0	0	0	0	0	=
GA	Ft Stewart	Α	0	95	0	0	0	0	0	0	0	0	0	0	0	=
GA	Hunter Army Airfield	Α	0	6	0	0	0	1	0	0	0	0	0	0	0	=
GA	Moody AFB	F	0	4	0	0	0	0	0	0	0	0	0	0	0	=
GA	NAS Albany	J	0	2	0	0	0	0	0	0	0	0	0	0	0	=
GA	NSB Kings Bay	J	0	1	0	0	0	0	0	0	0	0	0	0	0	=
GA	Robins AFB	F	0	0	0	0	0	11	0	0	0	0	0	0	0	=

USNORTHCOM COVID-19 Cases

(2022-2023 Season: Week 44)

COVID-19 Cases Since Week 40 (All Beneficiaries) by Installation Alaska through Georgia

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

			С	OVID-19	
State	Location	Service	2 wks	Since week 40	Change from past 2 weeks
AK	Eielson AFB	F	17	33	+
AK	Ft Wainwright	Α	6	24	-
AK	JB Elmendorf-Richardson	J	17	48	-
AL	Ft Rucker	Α	5	5	+
AL	Maxwell AFB	F	9	20	-
AL	Redstone Arsenal	Α	1	3	-
AR	Little Rock AFB	F	13	28	+
ΑZ	Davis-Monthan AFB	F	14	26	+
ΑZ	Ft Huachuca	Α	1	4	=
ΑZ	Luke AFB	F	25	60	+
CA	Beale AFB	F	11	25	+
CA	Camp Pendleton	N	40	114	=
CA	Edwards AFB	F	15	25	+
CA	Ft Irwin	Α	7	21	=
CA	Los Angeles AFB	F	3	4	+
CA	NAH Lemoore	N	8	25	+
CA	NB San Diego	N	87	220	-
CA	Travis AFB	F	32	84	+
CA	Twentynine Palms	N	6	23	-
CA	USAG Presidio of Monterey	Α	36	53	+
CA	Vandenberg AFB	F	2	2	=

		Ser-	С	OVID-19	
State	Location	vice	2 wks	Since week 40	Change from past 2 weeks
СО	Buckley AFB	F	6	16	+
СО	Ft Carson	Α	68	173	-
СО	Peterson AFB	F	4	8	+
СО	USAF Academy	F	9	37	-
CT	NSB New London	N	10	39	-
DC	JB Anacostia-Bolling	F	15	25	+
DC	Pentagon	J	13	26	+
DC	Washington Navy Yard	N	0	1	=
DE	Dover AFB	F	20	72	-
FL	Eglin AFB	J	2	13	=
FL	Hurlburt Field	F	0	3	=
FL	Macdill AFB	F	1	2	-
FL	NAS Jacksonville	J	3	6	+
FL	NAS Pensacola	N	3	5	=
FL	Patrick AFB	F	0	6	=
FL	Tyndall AFB	F	0	4	=
GA	Ft Benning	Α	27	74	-
GA	Ft Gordon	Α	72	140	+
GA	Ft Stewart	Α	12	25	-
GA	Moody AFB	F	9	17	+
GA	Robins AFB	F	12	25	+

USNORTHCOM Laboratory-Confirmed Influenza

(2022-2023 Season: Week 44)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Idaho through New York

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

			A (not a	subtyped)	Λ (Ι	H1N1)	л / Н	3N2)	۸	& B			Total positive	Total tosted	% Positivo	Channa farm
State	Location	Service	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	Change from past 2 weeks
IL	NS Great Lakes	N	3	3	4	5	178	197	0	0	0	0	185	569	33	+
IL	Scott AFB	F	0	0	1	2	12	15	0	0	0	0	13	70	19	-
KS	Ft Leavenworth	Α	0	1	0	0	0	0	0	0	0	0	0	0	0	=
KS	Ft Riley	Α	0	2	0	0	0	0	0	0	0	0	0	0	0	=
KS	Mcconnell AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
KY	Ft Campbell	Α	156	169	0	0	0	0	1	1	4	10	161	605	27	+
KY	Ft Knox	Α	3	3	0	0	0	0	1	1	0	4	4	29	14	-
LA	Barksdale AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
LA	Ft Polk	Α	0	1	0	0	0	0	0	0	0	0	0	0	0	=
LA	NAS Belle Chase	N	0	2	0	0	0	0	0	0	0	0	0	0	0	=
MA	Hanscom AFB	F	1	1	0	0	0	0	0	0	0	1	1	9	11	+
MD	Aberdeen Proving Ground	Α	3	6	0	0	0	0	0	0	2	3	5	27	19	+
MD	Ft Detrick	Α	12	15	0	0	0	0	0	0	2	2	14	68	21	+
MD	Ft Meade	Α	56	68	0	0	0	0	0	0	0	0	56	385	15	=
MD	JB Andrews	F	83	97	0	0	0	0	0	0	0	0	83	339	24	+
MD	NAS Patuxent River	N	31	36	0	0	0	0	0	1	0	0	31	109	28	+
MD	NBHC Bancroft Hall	N	28	114	0	0	0	0	0	0	0	0	28	179	16	-
MD	NHC Annapolis	N	9	17	0	0	0	0	0	0	0	0	9	59	15	-
MD	NSF Indian Head	N	7	7	0	0	2	2	3	3	0	0	12	27	44	-
MD	WRNMMC	J	81	88	1	2	19	29	0	0	0	0	101	508	20	+
MO	Ft Leonard Wood	Α	0	3	0	0	0	0	0	0	0	3	0	0	0	=
MO	Whiteman AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
MS	Columbus AFB	F	0	2	0	0	0	0	0	0	0	0	0	0	0	=
MS	Keesler AFB	J	0	19	0	0	0	0	0	0	0	0	0	0	0	=
MS	NAS Meridian	N	0	2	0	0	0	0	0	0	0	0	0	0	0	=
MS	NBHC Gulfport	N	0	1	0	0	0	0	0	0	0	0	0	0	0	=
MT	Malmstrom AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
NC	Camp Lejeune	N	0	34	0	0	0	0	0	0	0	0	0	1	0	=
NC	Ft Bragg	J	0	70	0	1	0	1	0	0	0	1	0	0	0	=
NC	MCAS Cherry Point	N	0	30	0	0	0	0	0	0	0	2	0	0	0	=
NC	Pope Army Airfield	J	0	5	0	0	0	1	0	0	0	0	0	0	0	=
NC	Seymour Johnson AFB	J	0	6	0	0	0	0	0	0	0	0	0	0	0	=
ND	Grand Forks AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
ND	Minot AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
NE	Offutt AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
NH	Portsmouth	N	0	0	0	0	0	0	0	0	0	0	0	7	0	=
NJ	JB McGuire-Dix-Lakehurst	F	3	13	0	0	0	0	0	0	0	0	3	99	3	+
NM	Cannon AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
NM	Holloman AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
NM	Kirtland AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
NV	Nellis AFB	F	0	3	0	0	0	3	0	0	0	0	0	0	0	=
NY	Ft Drum	Α	1	2	0	0	0	0	0	0	0	0	1	107	1	+
NY	West Point	Α	5	6	0	0	0	0	0	0	0	0	5	66	8	-

USNORTHCOM COVID-19 Cases

(2022-2023 Season: Week 44)

COVID-19 Cases Since Week 40 (All Beneficiaries) by Installation Idaho through New York

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

			C	OVID-19			
State	Location	Service			Change from		
			2 wks	Since week	past 2 weeks		
ID	Mountain Home AFB	F	17	34	-		
IL	NS Great Lakes	N	47	137	-		
IL	Scott AFB	F	4	8	+		
KS	Ft Leavenworth	Α	5	19	-		
KS	Ft Riley	Α	25	43	+		
KS	Mcconnell AFB	F	4	10	-		
KY	Ft Campbell	Α	56	108	+		
KY	Ft Knox	Α	6	32	-		
LA	Barksdale AFB	F	20	43	=		
LA	Ft Polk	Α	12	25	+		
MA	Hanscom AFB	F	2	4	=		
MD	Aberdeen Proving Ground	Α	8	34	-		
MD	Ft Detrick	Α	4	16	-		
MD	Ft Meade	Α	56	114	+		
MD	JB Andrews	F	51	108	+		
MD	NAS Patuxent River	N	24	35	+		
MD	NBHC Bancroft Hall	N	7	16	-		
MD	NHC Annapolis	N	16	21	+		
MD	NSF Indian Head	N	0	4	=		
MD	WRNMMC	J	93	203	+		
MO	Ft Leonard Wood	Α	42	82	+		
MO	Whiteman AFB	F	8	23	+		
MS	Keesler AFB	J	17	35	-		
MT	Malmstrom AFB	F	20	36	+		
NC	Camp Lejeune	N	62	131	+		
NC	Ft Bragg	J	72	221	-		
NC	MCAS Cherry Point	N	10	19	-		
NC	Seymour Johnson AFB	J	5	19	-		
ND	Grand Forks AFB	F	7	19	+		
ND	Minot AFB	F	28	92	-		
NE	Offutt AFB	F	8	11	+		
NH	Portsmouth	N	0	1	=		
NJ	JB McGuire-Dix-Lakehurst	F	13	31	-		
NM	Cannon AFB	F	1	3	=		
NM	Kirtland AFB	F	22	43	-		
NV	Nellis AFB	F	86	166	+		
NY	Ft Drum	Α	85	180	+		
NY	West Point	Α	6	11	=		

USNORTHCOM Laboratory-Confirmed Influenza

(2022-2023 Season: Week 44)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Ohio through Wyoming

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		В		Total	Total	% Positive	Change from
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	past 2 weeks
ОН	Wright-Patterson AFB	F	35	46	0	1	7	9	0	0	0	0	42	319	13	+
ОК	Altus AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
OK	Ft Sill	Α	0	2	0	0	0	0	0	0	0	2	0	0	0	=
ОК	Tinker AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
ОК	Vance AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
PA	Carlisle Barracks	Α	2	2	0	0	0	0	0	0	0	0	2	5	40	+
PR	Ft Buchanan	Α	5	7	0	0	0	0	0	0	0	0	5	43	12	+
RI	NHC New England	N	0	0	0	0	0	0	0	0	0	0	0	7	0	=
SC	Ft Jackson	Α	0	5	0	0	0	0	0	0	0	2	0	0	0	=
SC	JB Charleston	J	0	3	0	0	0	0	0	0	0	0	0	0	0	=
SC	MCAS Beaufort	N	0	9	0	0	0	0	0	0	0	0	0	0	0	=
SC	Parris Island	N	0	8	0	0	0	0	0	0	0	6	0	0	0	=
SC	Shaw AFB	F	0	12	0	0	0	0	0	0	0	0	0	0	0	=
SD	Ellsworth AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
TN	Ft Campbell	Α	51	56	0	0	0	0	1	1	4	7	56	153	37	+
TN	NSA Mid-South	N	0	0	0	0	0	0	0	0	0	0	0	0	0	=
TX	Dyess AFB	F	0	2	0	0	0	0	0	0	0	0	0	0	0	=
TX	Ft Bliss	Α	0	6	0	0	0	0	0	0	0	1	0	0	0	=
TX	Ft Hood	Α	0	19	0	1	0	3	0	0	0	0	0	0	0	=
TX	Goodfellow AFB	F	0	2	0	0	0	0	0	0	0	0	0	0	0	=
TX	JB San Antonio	J	0	207	0	1	0	3	0	0	0	12	0	0	0	=
TX	Laughlin AFB	F	0	1	0	0	0	0	0	0	0	0	0	0	0	=
TX	NAS Corpus Christi	N	0	3	0	0	0	0	0	0	0	0	0	0	0	=
TX	NAS Kingsville	N	0	0	0	0	0	0	0	0	0	0	0	0	0	=
TX	Sheppard AFB	F	1	1	0	0	23	24	0	0	0	0	24	131	18	+
UT	Hill AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=
VA	Ft Belvoir	J	321	366	0	1	13	14	4	6	18	31	356	1248	29	+
VA	Ft Lee	Α	79	123	0	0	0	0	1	1	1	5	81	244	33	-
VA	JB Langley-Eustis	J	122	137	1	3	25	31	0	0	1	3	149	661	23	+
VA	JB Little Creek-Ft Story	J	0	0	0	0	1	1	0	0	0	0	1	11	9	+
VA	JB Myer-Henderson Hall	Α	0	1	0	0	3	4	0	0	0	0	3	5	60	+
VA	MCB Quantico	N	12	13	0	0	1	2	0	0	1	1	14	49	29	-
VA	NAS Oceana	N	3	3	8	8	8	9	0	0	0	0	19	54	35	-
VA	NB Dam Neck	N	0	0	2	2	1	1	0	0	0	0	3	8	38	+
VA	NS Norfolk	N	0	0	3	5	15	18	0	0	0	0	18	46	39	-
VA	NWS Dahlgren	N	0	0	0	0	0	0	1	1	0	0	1	20	5	+
VA	NWS Yorktown	N	5	5	1	1	1	1	0	0	0	0	7	32	22	+
VA	Portsmouth	N	12	18	18	23	128	139	0	0	0	0	158	442	36	+
VA	TPC Chesapeake	N	0	0	1	1	5	6	0	0	0	0	6	12	50	-
VA	TPC Suffolk	N	0	0	0	0	1	1	0	0	0	0	1	4	25	-
WY	FE Warren AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	=

USNORTHCOM COVID-19 Cases

(2022-2023 Season: Week 44)

COVID-19 Cases Since Week 40 (All Beneficiaries) by Installation Ohio through Wyoming

*Reporting of laboratory data from MHS GENESIS sites is typically delayed by 2-3 weeks

			(COVID-19	
State	Location	Service			Change
			2 wks	Since week 40	from past 2
ОН	Wright-Patterson AFB	F	60	146	+
ОК	Altus AFB	F	2	10	=
ОК	Ft Sill	Α	27	95	-
ОК	Tinker AFB	F	12	17	+
ОК	Vance AFB	F	2	4	-
PA	Carlisle Barracks	Α	2	2	+
PR	Ft Buchanan	Α	7	12	+
RI	NHC New England	N	9	18	+
SC	Ft Jackson	Α	2	2	+
SC	JB Charleston	J	2	2	=
SC	MCAS Beaufort	N	0	1	=
SC	Shaw AFB	F	13	41	=
SD	Ellsworth AFB	F	11	31	-
TN	Ft Campbell	Α	3	11	-
TX	Dyess AFB	F	13	26	+
TX	Ft Bliss	Α	51	113	+
TX	Ft Hood	Α	45	176	-
TX	Goodfellow AFB	F	4	11	=
TX	JB San Antonio	J	118	294	+
TX	NAS Corpus Christi	N	2	3	-
TX	Sheppard AFB	F	8	17	+
UT	Hill AFB	F	9	28	-
VA	Ft Belvoir	J	83	207	-
VA	Ft Lee	Α	21	47	+
VA	JB Langley-Eustis	J	97	154	+
VA	JB Little Creek-Ft Story	J	7	27	-
VA	JB Myer-Henderson Hall	Α	2	10	-
VA	MCB Quantico	N	1	5	=
VA	NAS Oceana	N	6	9	+
VA	NB Dam Neck	N	2	2	=
VA	NS Norfolk	N	1	2	=
VA	NWS Dahlgren	N	7	7	=
VA	NWS Yorktown	N	0	2	=
VA	Portsmouth	N	130	275	+
WY	FE Warren AFB	F	16	37	=

Surveillance Programs and Data Sources

Defense Health Agency / Armed Forces Health Surveillance Division (AFHSD):

The Armed Forces Health Surveillance Division (AFHSD) is the central epidemiologic resource for the U.S. Armed Forces, conducting medical surveillance to protect those who serve our nation in uniform and allies who are critical to our national security interests. The Epidemiology and Analysis Section of AFHSD, the Epi Data Center of the Defense Centers for Public Health — Portsmouth (DCPH-P), and the Defense Centers of Public Health — Dayton (DCPH-D) have compiled data for this report from the following sources below.

Influenza-like Illness Activity:

Medical encounter and demographic data from the AFHSD's Defense Medical Surveillance System (DMSS) are used to generate portions of this report. ICD-10 codes from outpatient encounters are used to identify influenza-like illness (ILI). ILI is defined using the following codes: B97.89, H66.9, H66.90, H66.91, H66.92, H66.93, J00, J01.9, J01.90, J06.9, J09, J09.X1, J09.X2, J09.X3, J09.X9, J10, J10.00, J10.00, J10.01, J10.08, J10.1, J10.2, J10.8, J10.81, J10.82, J10.83, J10.89, J11, J11.0, J11.00, J11.00, J11.08, J11.1, J11.2, J11.8, J11.81, J11.82, J11.83, J11.89, J12.89, J12.9, J18, J18.1, J18.8, J18.9, J20.9, J40, R05, R50.9.

The percentage of all outpatient visits that have an ILI code is calculated each week for all service members, regardless of component. These data are presented weekly for the current season and compared to the four prior seasons among service members. Influenza activity levels are calculated by comparing the mean reported percent of visits due to ILI for the previous two weeks to the mean reported percent of visits due to ILI during baseline weeks (defined as non-influenza weeks (weeks 22-39) over the past 3 years). Since the 2020-2021 and 2021-2022 influenza seasons were significant reduced due to COVID-19 mitigation efforts, these seasons were excluded from the baseline calculations. The baseline weeks for the 2022-2023 report are from the years 2018, 2019, and 2020. There are four influenza activity levels, minimal, low, moderate, and high. The activity level corresponds to the number of standard deviations (SD) below, at or above the mean for the current 2 week period compared to the mean of the baseline weeks. Minimal activity corresponds to an influenza percentage that is less than 2 SD above the mean. Low activity corresponds to an influenza percentage that is equal to or greater than 4 SD above the mean, but less than 6 SD above the mean. High activity corresponds to an influenza percentage that is equal to or greater than 6 SD above the mean.

Influenza activity levels are presented in the Geographic Combatant Command (GCC) maps, either by Installation, state, or country.

Influenza Positive Specimens:

Influenza lab results (HL-7 formatted data) are compiled and transmitted from the DCPH-P to AFHSD. Results obtained via PCR, viral culture, and rapid influenza assays are reported. Although the inclusion of rapid tests may underestimate the weekly and cumulative percent positive estimates due to false negatives, visibility of the positive rapid results provides valuable information for this surveillance report. Influenza types/subtypes are categorized as influenza A/not subtyped, influenza A(H1N1), influenza A (H3N2), influenza A and B co-infection, and influenza B. Additionally, laboratory-confirmed positive results are used to identify influenza-related hospitalization cases across the DoD.

The percent positivity is calculated by dividing the number of influenza positive specimens by the total number of specimens (positive and negative only; inconclusive results are excluded). The distributions of percent positive specimens by subtype are presented on a weekly basis for the entire influenza season. The distribution of subtypes for the previous 2 weeks are presented as pie graphs for states and countries. For installations, data are presented in tables with counts and percent positive by subtype for the past 2 weeks and for the entire season. The "change from last report" column reports the absolute difference in the percent positive from the prior week's report to the current week's report.

Surveillance Programs and Data Sources

COVID-19 Cases:

COVID-19 case data are compiled from the COVID-19 positive lab results (HL-7 formatted data) and cases reported in the DRSi. The percent positivity calculation is restricted to only COVID-19 cases reported through the lab data so that an accurate denominator can be obtained. The percent positivity is calculated by dividing the number of COVID-19 positive specimens by the total number of specimens tested for COVID-19. For installations, COVID-19 case data are presented in tables with case counts for the past 2 weeks and for the entire influenza season (Week 40 to current). The "change from last report" column reports the absolute difference in the number of COVID-19 case counts from the prior week's report to the current week's report.

Pharmacy Transactions for Dispensed Influenza Antiviral Prescriptions:

HL7-formatted pharmacy transactions are used to assess the number of dispensed influenza antiviral (AV) prescriptions. Four influenza AV medications approved by the Food and Drug Administration (FDA) are recommended by the CDC for use in the United States (US) for the 2022-2023 influenza season: oral oseltamivir (Tamiflu® or generic), inhaled zanamivir (Relenza®), and intravenous peramivir (Rapivab®), and baloxavir marboxil (Xofluza®). These prescriptions are included in this surveillance. The overall count of dispensed AV prescriptions by week is presented graphically for the influenza season. A seasonal baseline is displayed with dispensed AV prescriptions. Surveillance thresholds are displayed with the count of inpatient dispensed AV prescriptions. Additionally, counts of inpatient dispensed influenza AV prescriptions are presented weekly for the influenza season.

Influenza Baselines, Thresholds, and Trends:

Weekly baselines used a three-year average to compare results with those from the same week during the previous three seasons. Since the 2020-2021 and 2021-2022 influenza seasons were significant reduced due to COVID-19 mitigation efforts, these seasons were excluded from the baseline calculations. The baseline calculations used the 2017-2018, 2018-2019, and 2019-2020 season data. Bands for one and two standard deviations above seasonal baseline estimates are displayed to indicate when trends diverge with respect to timing or volume from those of recent seasons. The ILI, lab, and dispensed AV prescription data thresholds are calculated by adding two standard deviations to the off-season average.

Inpatient thresholds (lab and dispensed AV prescription data) are calculated by adding one standard deviation to the overall weighted average for in-season weeks. Weeks that represent at least 2% of the total season's laboratory-positive influenza cases for at least two consecutive weeks was considered to be "in-season" or influenza weeks; all other weeks are considered to be "off-season" or non-influenza weeks.

Links to Service-Specific Influenza Reports:

Select the following links to see service-specific influenza surveillance weekly reports:

- Defense Centers for Public Health—Portsmouth (DCPH-P):
- https://www.med.navy.mil/Navy-Marine-Corps-Public-Health-Center/Population-Health/Epi-Data-Center/Diseases-Conditions-and-Infections/Influenza/
- Defense Centers for Public Health—Dayton (DCPH-D):

To access the Air Force weekly influenza reports, an AFNet account is required. Anyone with a CAC can request access to AFNet at: https://epi.afds.af.mil/nonaf