

TABLE 1. Incident Counts and Rates of Sunburn by Severity, Demographic and Military Characteristics, Active Component, U.S. Armed Forces, 2014-2022^a

	No.	Rate ^b
Total	12,035	105.0
Type of sunburn		
First degree (ICD-9: 692.71; ICD-10: L55.0)	6,244	54.5
Second degree (ICD-9: 692.76, ICD-10: L55.1)	3,264	28.5
Third degree (ICD-9: 692.77; ICD-10: L55.2)	27	0.2
Unspecified (ICD-10: L55.9, L55)	2,500	21.8
Sex		
Male	9,608	100.2
Female	2,427	129.4
Race and ethnicity		
Non-Hispanic White	10,212	157.8
Non-Hispanic Black	259	14.0
Hispanic	866	47.6
Other	553	49.9
Unknown/missing	145	69.6
Age group, years		
<20	4,236	277.5
20–24	4,165	141.4
25–29	2,071	77.5
30–34	812	44.2
35–39	451	33.8
40–44	172	24.1
45+	128	29.8
Service		
Army	5,144	123.2
Navy	2,061	71.7
Air Force	2,558	91.3
Marine Corps	2,272	141.4
Rank		
Recruit	1387	575.8
Enlisted (non-recruit)	9,949	108.3
Officer	699	34.4
Military occupation		
Combat-specific ^c	1,511	94.9
Armor/motor transport	449	132.9
Pilot/air crew	126	30.1
Repair/engineer	3,292	97.0
Communications/intelligence	2,527	102.4
Health care	1,000	99.6
Other/unknown	3,130	139.2

Abbreviation: No., number.

^aThrough Sept. 30, 2022.^bIncidence rate per 100,000 person-years.^cInfantry/artillery/combat engineering/armor.